



CERTSWARRIOR

Oracle 1Z0-497

Oracle Database 12c Essentials

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

Your customer wants all email addresses from the database displayed as [hidden]@company.com. What method of data redaction must you use?

- A. full redaction
- B. partial redaction
- C. regular expressions
- D. random redaction
- E. no redaction

Answer: C

http://docs.oracle.com/database/121/ASOAG/redaction_config.htm#ASOAG10563

Question: 2

Your customer is looking for a solution that meets these four needs:

- 1 - Replicate data from source to target for reporting purposes.
- 2 - Replicate data from one source to multiple targets.
- 3 - Replicate data between two databases for instant failover.
- 4 - Replicate data from multiple sources to a single target for a data warehouse.

Which GoldenGate-supported topology would you recommended?

- A. Uni-directional for 1
- B. Peer-to-peer for 1
- C. Uni-directional for 1
- D. Peer-to-peer for 1

Answer: C

Question: 3

You execute some DML commands, followed by a COMMIT Statement.

Which option correctly describes how the logwriter (LGWR) process takes part in the transaction commit?

- A. 1. LGWR writes the commit record to disk.
- B. 1. GWR writes only the transaction's redo entries from Redo Log Buffer to disk.
- C. 1. LGWR puts the commit record to Redo Log Buffer.
- D. 1. LGWR puts the commit record to Redo Log Buffer.
- E. 1. LGWR puts the commit record to Redo Log Buffer.

Answer: A

Question: 4

Which two statements about PDBs and CDBs are true?

- A. There is only one SYSTEM tablespace per CDB .
- B. There is only one instance per PDB.
- C. There is a set of redo log files per PDB.
- D. There is only one UNDO tablespace per CDB.
- E. There is one SYSAUXtablespace per PDB.

Answer: D E

Question: 5

You went to create a new CDB for your customer. Which two statements are true about the seed pluggable database that will reside in the new CDB?

- A. You have to copy the seed data files yourself,
- B. You can use the new SEED FILE_NAME_CONVERT clause in the CREATE DATABASE statement.
- C. The seed pluggable database is not required.
- D. The seed pluggable database does not require data files.
- E. The seed pluggable database is always kept in READ ONLY mode.
- F. The seed pluggable database is not a container.
- G. The seed pluggable database can be dropped.

Answer: B E

http://docs.oracle.com/database/121/ADMIN/cdb_create.htm#BABHACEC

Question: 6

You want to clone PDB1 and PDB2 into the same CDB. Which statement is correct?

- A. You cannot do this, because you can only clone PDBs into another CDB .
- B. You can clone only one PDB (either PDB1 or PDB2) into the same CDB.
- C. Cloning a PDB can use the source files copy method to the target PDB files.
- D. Cloning a PDB can use the NOCOPY clause if the target PDB files use the source files.

Answer: C

Question: 7

Consider 10 scenarios that result in database downtime. Which five of them are considered as planned downtime?

- A. addition or removal of nodes, memory, or disks
- B. changing configuration parameters, upgrading, or patching Oracle software
- C. file deletion
- D. migrating to cluster architecture
- E. dropped database object
- F. table definition changes
- G. runaway processes that consume system resources
- H. adding table partitioning
- I. operating system or storage device / driver failure
- J. database or application deadlocks

Answer: A B D F H

http://docs.oracle.com/cd/E11882_01/server.112/e10803/schedule_outage.htm#HABPT5083

Question: 8

What happens if you execute these SQL statements?

```
SQL> show con_name
```

```
CON_NAME
```

```
-----
```

```
CDB$ROOT
```

```
SQL> create user 1_freed identified by y container=current;
```

- A. A common user is created in the root container.
- B. A local user is created in the root container.
- C. A local user is created in all the PDBs.
- D. The second SQL statement fails because a local user cannot be created in the root container.

Answer: D

Question: 9

A standby database is in mounted state and you are required to perform a failover to the physical standby. Which solution is best suited for this scenario?

- A. ALTER DATABASE RECOVER MANAGED STANDBY DATABASE statement with the FINISH keyword
- B. ALTER DATABASE PREPARE TO SWITCHOVER and ALTER DATABASE COMMIT TO SWITCHOVER statements
- C. ALTER DATABASE RECOVER TO STANDBY DATABASE statement with the FINISH keyword
- D. D) ALTER DATABASE PREPARE SWITCHOVER and ALTER DATABASE COMMIT TO SWITCHOVER Statements

Answer: A

Question: 10

Which two statements are true about transactions in Oracle Database 12c?

- A. Multiple transactions can use the same undo segment.
- B. A transaction is assigned an undo segment when it is started.
- C. Multiple transactions cannot share the same extent in an undo tablespace.
- D. If all the segments in an undo tablespace are used, transactions use system undo segments to store undo data.

Answer: A B



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ