



CERTSWARRIOR

# IBM

## C2090-424

### InfoSphere DataStage v11.3

**Questions&AnswersPDF**

**ForMoreInformation:**

**<https://www.certswarrior.com/>**

## **Features:**

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

# Latest Version: 6.0

## Question: 1

Which is NOT a valid native operator for OSH?

Response:

- A. Generator
- B. Sort
- C. Copy
- D. Import

**Answer: B**

## Question: 2

To run multiple copies of the same job within Director, which of the following must be supplied?

Response:

- A. Username and password
- B. Parameter values
- C. Invocation ID
- D. Job name

**Answer: B**

## Question: 3

A Parameter Set is a named object that can contain which of the following?

Response:

- A. Multiple parameters and only one value file
- B. Only one parameter and multiple value files
- C. Only one parameter and only one value file
- D. Multiple parameters and multiple value files

**Answer: B**

## Question: 4

Which statement about restartable sequence jobs is TRUE?

Response:

- A. Choosing "Reset job" from Director will start the job where it left off.
- B. Checkpoints are always added to every eligible Job Activity stage in the sequence.
- C. If a restartable sequence aborts, it can be restarted from Director.
- D. There is no way to force a Job Activity stage to return if the sequence got beyond it.

**Answer: C**

### Question: 5

Which of the following actions are available when editing a message handler?

Response:

- A. Promote to warning
- B. Demote to warning
- C. Promote to informational
- D. Abort Job

**Answer: A**

### Question: 6

Record Count property is set to zero in Connector stage. How many rows are written out?

Response:

- A. Zero Rows
- B. All Rows
- C. 2000 Rows
- D. One Row

**Answer: B**

### Question: 7

How do you create a shared table definition from the DataStage client?

Response:

- A. Do nothing. They are created automatically when table definitions are imported
- B. Use the save button on the columns tab of the stage editor

- C. Use the shared table creation wizard from the repository window
- D. It cannot be done within the DataStage client. Use the InfoSphere Metadata Asset Manager (IMAM) utility instead.

**Answer: C**

### Question: 8

You want to retain the record with the largest value in the TotalAmount column for each CustID and ProductType using a Remove Duplicates stage. How can this be accomplished?

Response:

- A. Hash partition on CustID, ProductType and TotalAmount. Sort on CustID, ProductType and TotalAmount
- B. Hash partition on CustID and ProductType. Sort on CustID, ProductType and TotalAmount
- C. Hash partition on TotalAmount. Sort on CustID, ProductType and TotalAmount
- D. Hash partition on ProductType. Sort on CustID, ProductType and TotalAmount

**Answer: B**

### Question: 9

Assume you have before and after data sets and want to identify and process all of the changes between the two data sets. Assuming data is properly partitioned and sorted, which of the following should be used?

Response:

- A. Change Capture and Change Apply
- B. Change Apply
- C. Change Capture
- D. Difference

**Answer: C**

### Question: 10

Which stages will require a schema file when runtime column propagation (RCP) is enabled? (Choose two.)

Response:

- A. Data Set
- B. Column Import

- C. Internal Source
- D. Make Subrecord
- E. External Target

**Answer: B,E**



# CERTSWARRIOR

## FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**