



CERTSWARRIOR

# Oracle 1Z0-900

**Java EE 7 Application Developer**

**Questions&AnswersPDF**

**ForMoreInformation:**

**<https://www.certswarrior.com/>**

## **Features:**

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

# Latest Version: 11.0

## Question: 1

You need to develop a chat application, which allows the display of emoticons and images together with text messages.

How should you configure a WebSocket endpoints to receive both text and binary messages?

- A. Create two @onMessage methods in the same endpoint with appropriate parameter types.
- B. Define the @onMessage methods in your endpoint with Object as parameter and check the actual type in your code.
- C. You can achieve this only by creating separate WebSocket endpoints for each message type.
- D. Create two @onMessage methods, each with appropriate decoder attribute in the same endpoint.

**Answer: D**

## Question: 2

Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API? (Choose two.)

- A. protecting data from unauthorized viewing by using encryption
- B. verifying that a user is allowed to perform an action
- C. ensuring that data is not modified in transit
- D. verifying identity claims from users

**Answer: B,C**

## Question: 3

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

**Answer: D**

## Question: 4

Given the code fragment:

```
@Path ("Employees")
public class EmployeesResource {
    @Inject private EmployeeManager em;
    @Get
    @Path("{id:[A-Z] [0-9]+}")
    public Employee getEmployee(@PathParam("id") String id) {
        return em.findEmployee(id);
    }
}
```

Which URL triggers the invocation of the getEmployee () method?

- A. <base url>/Employees/89724
- B. <base url>/Employees/J6349
- C. <base url>/Employees/id:a7280
- D. <base url>/Employees/id/J6349

**Answer: B**

## Question: 5

What is true about Message-Driven Beans (MDBs)?

- A. MDBs can participate in transactions.
- B. MDBs are invoked synchronously.
- C. Each MDBs can process messages only from a single client.
- D. MDBs retain data caches between client calls.

**Answer: A**



# CERTSWARRIOR

## FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**