



SAP

C_TBW50H_75

ified Application Associate - Modeling and Data Acquisition with SAP BW 7.5 powered by SAP H

Questions & Answers PDF

For More Information:

<https://www.certswarrior.com/>

Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

Question: 1

Your customer needs to link two queries with a report-report interface(RQ transaction RSBBS which parameters do you set in the query sender to jump to the query receiver.

There are 3 correct answers to this question.

Response:

- A. Sender system
- B. Receiver object
- C. Target system
- D. RFC Destination
- E. Report type

Answer: ABC

Question: 2

You need to load data from a data from a Datasource directly to an info-cube.which of the following delta processes can you use for the data source?

There are 2 correct answers to this question.

Response:

- A. AIMD After-image with deletion flag via delta queue.
- B. ABR Complete Dela with deletion flag via delta Queue.
- C. AIM After-image via Delta queue
- D. ADD Additive Exteraction Via Extractor

Answer: BD

Question: 3

You need to create an SAP Business Warehouse data flow that combines data from two sources in an advanced Datastore object(DSO)There are different and value for the same entry in the source.which approach does SAP recommend?

Please choose the correct answer.

Response:

- A. Create an open ODS as a non-persistent intermediate layer to perform a join from the source dependent parts need to be implemented in the same transformation.
- B. Create an infosource as a non-persistent intermediate layer.the source-dependent parts of the a transformation need to be implemented before the info source.

- C. Create a composite provider as a non-persistent intermediate layer to perform a join from the source.the source-dependent parts need to be implemented in the same transformation.
- D. Create an info set as a non-persistent intermediate layer.the source-dependent parts of the transformation need to be implemented before the info set.

Answer: C

Question: 4

Your customer wants to activate SAP HANA-Optimized business content to store historical data.which layer do you use?

Please choose the correct answer.

Response:

- A. Virtual data mart layer
- B. Corporate memory layer
- C. ODS layer

Answer: B

Question: 5

Which sources are available for a generic SAP Business Warehouse DataSource?

There are 3 correct answers to this question.

Response:

- A. DB view or table
- B. SAP HANA information view
- C. Function module
- D. SAP HANA remote source table
- E. SAP query (InfoSet)

Answer: ACE

Question: 6

For which data source does SAP recommend using SAP Data services to load data into SAP Business warehouse(SAP BW)

Please choose the correct answer.

Response:

- A. Non-SAP data

- B. SAP BW data
- C. SAP ERP data
- D. SAP HANA data

Answer: A

Question: 7

Which SAP Business warehouse(SAP BW)objects are supported to generate external SAP HANA Views?
There are 3 correct answers to this question.

Response:

- A. SAP BW queries
- B. SAP BW advanced Data storeobject.
- C. SAP BW Data Source
- D. SAP BW Info cubes (HANA optimized)
- E. SAP BW Multiprovider

Answer: BDE

Question: 8

Our customer wants to create a composite provider to combine data from two advanced Data store objects(DSO). Which operation does the system propose, by default to combine the data of both advanced DSOs?

Please choose the correct answer.

Response:

- A. Union
- B. Inner join
- C. Left Outer join
- D. Join

Answer: A

Question: 9

You need to generate SAP HANA views SAP based on Business Warehouse(SAP BW)infoproviders. which activities do you perform to consume the

There are 2 correct answers to this question.

Response:

- A. Create an SAP HANA role on the SAP BW role.
- B. Create an SAP HANA user with the identical name as the SAP BW user.
- C. Assign the SAP HANA user in SAP BW user administration
- D. Migrate the SAP BW user roles in the HANA user.

Answer: AC

Question: 10

Your customer needs views of data, defined by multiple conditions you create multiple conditions in a query and activate multiple conditions in the report. What is the effect on the report result?

Please choose the correct answer.

Response:

- A. The report result is independent of the report drilldown.
- B. The report result depends on the application of a logical AND between the conditions.
- C. The report result depends on the activation sequence of the conditions.
- D. The report result depends on the application of a logical OR between the conditions.

Answer: A

Question: 11

Which the following objects can you create when you use the SAP Business Warehouse modeling tools in the SAP HANA studio?

There are 3 correct answers to this question.

Response:

- A. global filters
- B. Local composite providers
- C. Restricted key figures
- D. Process chains
- E. Key figures

Answer: ACE

Question: 12

You need to create an SAP HANA calculation view and connect a fact table to a dimension view. which type of node do you create?

Please choose the correct answer.

Response:

- A. Join node
- B. Aggregation node
- C. Union node
- D. Star join node

Answer: D

Question: 13

Before you can use a DB connect data flow in SAP Business warehouse(SAP BW),which of the following tasks must you perform?

There are 3 correct answers to this question.

Response:

- A. Install a date base-specific client for the source RDBMS on the SAP BW application server.
- B. Load the RDBMS meta base into a table in SAP BW that the data source can access.
- C. Create a Data source on database tables and views with technical names in uppercase letters.
- D. Create a Data source on database tables and views with technical names in lowercase letters.
- E. Install an SAP-specific Database shared library on the SAP BW application server.

Answer: ABE

Question: 14

The result of a calculation: Si Business Warehouse is incorrect, but the formula is correct. What options do you have to correct the calculation?

There are 3 correct answers to this question.

Response:

- A. Set an exception aggregation to change the calculation behavior
- B. Change the formula collision property to use result of concurrent formula
- C. Create the formula again to receive a new time stamp.
- D. Create a new structure to receive a new time stamp.
- E. Change the formula collision property to use result of this formula.

Answer: ABE

Question: 15

Which of the following process steps are common between a classical SAP Business warehouse process chain and an SAP HANA optimized process chain?

Please choose the correct answer.

Response:

- A. Execute data transfer process to infocube.Execute attribute change run.
- B. Roll up aggregates.Execute data transfer process to infocube
- C. Execute data transfer process to datastore transfer object.generate database statistics
- D. Execute data transfer pies atastore object.trigger delta merge.

Answer: A

Question: 16

Which of the following data provisioning tools are provided by SAP HANA smart integration?

There are 2 correct answers to this question.

Response:

- A. Data provisioning Agent configuration
- B. Adapter software development kit
- C. SAP Business warehouse Data source adapter
- D. SAP Data services software

Answer: AC

Question: 17

You need to transport a generic data sources from the SAP development | is to the SAP Test landscape.
what sequence of activities does SAP recommend?

Please choose the correct answer.

Response:

- A. Transport the active SAP Business warehouse patasource.repiea Re Gatasource in SAP Business warehouse.Transport the SAP ERP datasource.
- B. Transport the active SAP Business warehouse Datasource.Transport ee datasource in SAP Business warehouse.
- C. Transport the SAP ERP datasource.replicate the datasource in SAP Business warehouse. Transport the active SAP Business warehouse Data source.
- D. Transport the SAP ERP datasource.Transport the active SA Gress warehouse Datasource.replicate the data source in SAP Business warehouse.

Answer: C

Question: 18

A business content Datasource does NOT provide all required fields.what activity does SAP recommend you perform to enrich the extraction?

Please choose the correct answer.

Response:

- A. Create an additional generic Data source to extract the missing nformeg nd combine the data in SAP business warehouse.
- B. Define an append structure, add it to the extract structure and write a function exit to call the relevent information.
- C. Neglect the business content data source and define a new generic Data our OE a function module.
- D. Expose the Data source as operational data provider and use th érmation component of SAP Landscape Transformation.

Answer: B

Question: 19

Your customer requires a query with a formula variables.in which objects can you use a formula vatable?
There are 2 correct answers to this question.

Response:

- A. Threshold value in conditions
- B. Calculated key figures
- C. Formulas in a transformation
- D. Restricted key figures

Answer: AB

Question: 20

You create an advanced DataStore object (DSO) and select the standard DSO template. Which of the following settings are applied automatically?

There are 2 correct answers to this question.

Response:

- A. Unique data records
- B. Write change log
- C. All characteristics are key
- D. Activate data

Answer: BD

Question: 21

What are the efforts if you open and the BEx Query Designer query in the SAP Business warehouse query Designer in the SAP HANA Studio?

There are 2 correct answers to this question.

Response:

- A. You CANNOT reopen the query in BEx query Designer
- B. you can edit the query without migration
- C. you can expect the same result in query exception
- D. You can edit the query after migration.

Answer: BC

Question: 22

Which advantage you have if you use universal Data connect(UD Connect)instead of Database connect(DB Connect)

Please choose the correct answer.

Response:

- A. UD connect provides the ABAP software development kit(SDK)
- B. UD connect provides connectivity to external multidimensional data sources.
- C. UD connect is based on SAP Netweaver Application server for ABAP.
- D. UD connect uses the SAP Specific Database shared Library(DBSL)

Answer: B

Question: 23

Which of the following activities are part of the realization phase of an SAP Business Warehouse (SAP BW) project?

There are 3 correct answers to this question.

Response:

- A. Define a service level agreement.
- B. Build SAP HANA views and define their properties.
- C. Create and activate SAP BW objects.
- D. Design the data layer concept based on the LSA++ architecture.
- E. Create functional and technical documentation.

Answer: BCE

Question: 24

You instantiate a non-persistent characteristic info object. which options do you have?

There are 2 correct answers to this question.

Response:

- A. Generate in object
- B. Create new in object
- C. Change existing in object
- D. Use existing in object

Answer: BD

Question: 25

Which combination of database tables is used when you model an nne data store object like an info cube?

Please choose the correct answer.

Response:

- A. Active data and inbound Table
- B. Change log and inbound Table
- C. Active data and change log
- D. Active data, inbound table, and change log

Answer: A

Question: 26

You want to fill variables automatically by using the Replacement path more Which of the following variables types are supported?

There are 3 correct answers to this question.

Response:

- A. Formula
- B. Characteristic value
- C. Text
- D. Hierarchy node
- E. Hierarchy

Answer: ABC

Question: 27

Why is graphical data flow modeling preferred over classical data flow modeling?

There are 2 correct answers to this question.

Response:

- A. it helps you define your own templates to set standards for your customer.
- B. You can execute it to load data
- C. you can view it using the SAP Business warehouse modelling tools of the SAP HANA Studio.
- D. It provides a better overview of the data flows.

Answer: AC

Question: 28

You use the query monitor transaction(RSRTI)to investigate the poor performance of a query. which actions do you perform when you use this transaction?

There are 3 correct answers to this question.

Response:

- A. Execute the query without using the cache
- B. Debug the query
- C. Maintain the technical info of the query.
- D. Maintain the read mode and the cache mode of the query.
- E. Change the query definition

Answer: ABD

Question: 29

Your customer's sales department wants to combine spins warehouse(SAP BW)data with from a flat file in an SAP BW workspace. which tool do you used?

Please choose the correct answer.

Response:

- A. SAP Lumira
- B. SAP Business objects Analysis for Microsoft office
- C. SAP HANA Studio
- D. SAP BW designer

Answer: D

Question: 30

What are the advantages of using the compounding method instead of the concatenation method in the SAP Business warehouse(SAP BW)data model?

There are 3 correct answers to this question.

Response:

- A. SAP BW provides a compounding option in the in object definition.
- B. One field is sufficient to distinguish information in the reports.
- C. Transformation is based on 1:1 relations
- D. it is easier to field and reconcile with the source.
- E. Fewer fields involved in the method need to be modeled.

Answer: ABD

Question: 31

Where can a characteristic be restricted in the BEx query definition?

Please choose the correct answer.

Response:

- A. in the query properties, in the general tab.
- B. In the characteristic's context menu in the default value section
- C. In the characteristic's context menu in the info provider section
- D. in the query properties, in the Extended tab.

Answer: B

Question: 32

In an SAP Business warehouse query,you have two structures with intersecting with interacting formulas. What is the default behavior when you run the query?

Please choose the correct answer.

Response:

- A. Both formulas are ignored and the cell shows an error
- B. The formula contained in the structure in the rows is Used
- C. The formula contained in the structure that was saved last is used
- D. The formula contained in the structure that was saved first is used.

Answer: D

Question: 33

Which advanced Datastore object modeling templates are available in SAP Business Warehouse?
There are 2 correct answers to this question.

Response:

- A. Compositeprovider
- B. Data acquisition layer
- C. Corporate memory with compression.
- D. Open ODS view

Answer: BC

Question: 34

On which of the following objects can you restrict a characteristic?
Please choose the correct answer.

Response:

- A. Condition
- B. Hierarchy node
- C. Formula
- D. Exception

Answer: B

Question: 35

What is the maximum number of key fields that an advanced data store objects can contain?
Please choose the correct answer.

Response:

- A. 64 Key fields
- B. 120 key fields
- C. 16 Key fields
- D. 256 Key fields

Answer: B

Question: 36

Which of the following objects are available when you activate SAP Business objects Business Intelligence content?

There are 3 correct answers to this question.

Response:

- A. Data flow
- B. Calculation view
- C. Planning function
- D. Aggregation level
- Process chain

Answer: ADE

Question: 37

The source of a transformation contains three data characteristics: .order date. Delivery date. Invoice as the target of the transformation contains only date characteristic. This target characteristic must be populated from the different date characteristics in the source how do you achieve this?

Please choose the correct answer.

Response:

- A. Implement three rule groups in the transformation.
- B. Create two additional transformations.
- C. Use the rule type time conversion.
- D. Use the rule type time distribution.

Answer: A

Question: 38

You need to use SAP Data services for a controlled distribution of SAP Business warehouse (SAP B SD to legacy systems and application. which of the following activities must you perform?

There are 3 correct answers to this question.

Response:

- A. Create a Data store in SAP Data services based on the Data source
- B. Craete a generic Data source in SAP BW as part of the data flow.
- C. Execute the SAP BW Process chain from SAP Data services.
- D. Create an SAP BW data flow to an open hub destination.
- E. Create an SAP BW process chain to control data distribution.

Answer: ACE

Question: 39

Which technology do you use to load data from Microsoft Analysis Services to SAP Business Warehouse?
Please choose the correct answer.

Response:

- A. Universal Data Connect
- B. Database Connect
- C. File interface
- D. Web service

Answer: A

Question: 40

Why do you create a Semantic group for a data transfer process object?
Please choose the correct answer.

Response:

- A. To assign additional customer fields to the loaded data structure
- B. To create Pit filter to load data into the persistent staging Area(PSA)
- C. To flag all relevant data a business rule
- D. To sort all independent data in one data package

Answer: D

Question: 41

SAP Landscape Transformation replication server with operational data provisioning utilizes the operational delta queue(ODQ).Which of the following is an advantage of the ODQ?

Please choose the correct answer.

Response:

- A. The ODQ provides semantic parallelization for error handling.
- B. The ODQ uses a daemon for scheduling
- C. The ODQ provides high data compression of 90% or more.
- D. The ODQ provides scheduling through infopackages independently of the data transfer process setting.

Answer: C

Question: 42

Which of the following tasks can you perform using the data warehousing workbench?

There are 3 correct answers to this question.

Response:

- A. Create an info package.
- B. Create open ODS views.
- C. Create advanced Data store objects.
- D. Activate master data.
- E. Manage advanced Data store objects

Answer: ADE

Question: 43

In accordance with the layered scalable architecture, which layers represent the architected data mart layer?

Please choose the correct answer.

Response:

- A. Harmonization layer.Business transformation layer.Virtualization layer
- B. Harmonization layer.Reporting layer.reporting later.Virtualization layer
- C. Business transformation layer.reporting layer.Virtualization layer
- D. Data propagation layer.reporting layer.Virtualization layer

Answer: C

Question: 44

Which sources are available when you create on each ODS view?

There are 3 correct answers to this question.

Response:

- A. SAP Business warehouse transformations
- B. SAP Business warehouse info sources
- C. SQL views of the SAP HANA database
- D. SAP HANA Procedures
- E. Virtual tables using SAP smart data access.

Answer: ACE

Question: 45

You create a transformation from a DataSource to a standard DataStore object. The DataSource provides an after-image delta. Which key figure aggregation type do you select?

Please choose the correct answer.

Response:

- A. Minimum
- B. Maximum
- C. Overwrite
- D. Summation

Answer: C

Question: 46

Which of the following objects can you associate when you create an open ODS view?

Please choose the correct answer.

Response:

- A. Infobject
- B. Compostie provider
- C. Advanced datastore object
- D. SAP HANA calculation view

Answer: B

Question: 47

Your customer uses a flat file data source to load data into an advanced(infocube-like) data store object (aDSO)transfer process is having loading data what might be the cause?

There are 2 correct answers to this question.

Response:

- A. The data source's delta process is set to FiL1
- B. Data flow objects is NOT set to active.
- C. The data source's delta process is set to delta only using full upload.
- D. The datasource's delta process is set to FILO.

Answer: AD

Question: 48

Your customer requests a query that shows the sales revenue for materials. What do you use to only view materials with revenue?

Please choose the correct answer.

Response:

- A. A characteristic restriction
- B. The compact display on Rows option
- C. The cumulative value Display option.
- D. The posted values option

Answer: A

Question: 49

You need to remodel a characteristic infobject and the remodeling toolbox. Which activities can you perform?

There are 2 correct answers to this question.

Response:

- A. Add attributes to a characteristic.
- B. Add or delete a compounding characteristic
- C. Change the attribute type.
- D. Change a reference characteristic.

Answer: BC

Question: 50

Which infoprovider do you use for SAP Business Warehouse 7.5 Powered by SAP HANA to replace the multi providers for reporting?

Please choose the correct answer.

Response:

- A. Composite provider
- B. Virtual provider
- C. Info object as info provider
- D. Advanced Data store object

Answer: A

Question: 51

You entire data model for SP easiness warehouse(SAP BW)Project consists of SAP BW data models and SAP HANA data models. How can you attain SAP HANA views directly from the SAP BW project?

Please choose the correct answer.

Response:

- A. Drag SAP HANA views to the SAP BW repository tree.
- B. Attach the SAP HANA system to the SAP BW project.
- C. Use the link with editor function.
- D. Use the External SAP HANA view option.

Answer: D

Question: 52

What can you do with a condition?

There are 2 correct answers to this question.

Response:

- A. Define filter restrictions.
- B. Analyze combinations of characteristics using ranked lists
- C. Define value limits.
- D. Restrict combinations of characteristics using a structure

Answer: BC

Question: 53

Which object type performs the delta merge check automatically?

Please choose the correct answer.

Response:

- A. Write-optimized Datastore object
- B. SAP HANA optimized info cube
- C. Standard info cube
- D. Persistent staging Area

Answer: D

Question: 54

How can you trigger the delta merge operations in SAP Business warehouse red by SAP HANA?

There are 2 correct answers to this question.

Response:

- A. Select the trigger Database merge checkbox from info packages.
- B. Select the trigger Database merge checkbox from Data Transfer process
- C. Add a variant to a process chain.
- D. Execute the SQL statement using data volume distribution in the BR warehousing workbench.

Answer: BC

Question: 55

A report based on a query shows a list of months with the sales volume. How can you enhance the query to include the number of contributed to the monthly sales Volume?

Please choose the correct answer.

Response:

- A. Insert the sales volume key figure, once more into the query. in the key figure properties, choose the counter (ALL Values) exception aggregation with the customer reference characteristic.
- B. Insert a formula with sales volume key figure as operand.in the key formula properties, choose the counter (ALL Values) exception aggregation option with the customer reference characteristic.
- C. Insert the sales volume key figure once more into the query in the key figure properties, select the counter for all detailed values option from calculate agers
- D. Insert a formula with the sales volume key figure as operand.in the formula properties, select the counter for all detailed values option from calculate single value setting.

Answer: B

Question: 56

Where can you set a variable offset to a time-based characteristic?

Please choose the correct answer.

Response:

- A. In the characteristic definition in the data warehousing workbench in the SAP A studio
- B. In the info provider definition in the data warehousing workbench in the SAP HANA
- C. In the key figure's characteristic variable restrictions in the SAP business warehouse query Designer in the SAP HANA studio.
- D. In the calculated key figure dialog in the SAP business warehouse query Designer in the HANA studio

Answer: C

Question: 57

Your customer has an existing cube calculation view of global sales in various currencies. What should you do to convert all revenues to the currency?

Please choose the correct answer.

Response:

- A. Add an additional cube calculation view for the currency conversion.
- B. Join the cube calculation view to a calculation view with a restricted column for each currency.
- C. Add a calculation view including a calculated column on a measure.
- D. Join the cube calculation view to an additional dimension view.

Answer: A

Question: 58

Your customer has a division that sells the same products with different master data. How can you enhance an SAP HANA view to include the division's sales of these products?

Please choose the correct answer.

Response:

- A. Use the SAP HANA studio and add a calculation view of type dimension with two additional hierarchies in the Semantics node.
- B. Use the SAP HANA studio and add a level or parent-child hierarchy based on a join with tables from the subsidiary system in the Semantics node.
- C. Use the SAP Business Warehouse modelling tools of SAP HANA studio to add the necessary characteristics to include external hierarchies.
- D. Use the SAP HANA studio and add a level or parent-child hierarchy based on the tables in the Semantics node.

Answer: B

Question: 59

Your customer converts LSA to LSA++ and needs to streamline the enterprise data warehouse layer. What action do you take?

Please choose the correct answer.

Response:

- A. Reduce the number of persistent InfoProviders.
- B. Apply the Open ODS layer.
- C. Migrate all SAP Business Warehouse objects to SAP HANA optimized objects.
- D. Apply the SAP Business Warehouse workspace layer.

Answer: A

Question: 60

Which objects are mandatory when you create a transactional data flow in operational data provisioning?

There are 2 correct answers to this question.

Response:

- A. Data transfer process
- B. Transformation
- C. InfoPackage
- Real-time daemon

Answer: AB

Question: 61

You use SAP Landscape Transformation Replication for operational data provisioning. Which of the following data acquisition features are provided?

There are 3 correct answers to this question.

Response:

- A. Real-time replication to SAP Business warehouse
- B. Removal of restrictions for extractors.
- C. Ability to use simple coded mapping rules
- D. Direct update to SAP Business warehouse info providers
- E. Ability to use complex coded mapping rules

Answer: ACD

Question: 62

You want to create a workbook that shows turnover per material group. Materials are organized hierarchically on three levels. Business users want to view the top level. They also want to be able to aggregate on lower hierarchy levels.

How can they do this?

There are 2 correct answers to this question.

Response:

- A. Open the hierarchy options of the material & the ment bar and select the required level in the show levels option.
- B. Open the context menu of tee in the analysis and expand the hierarchy of the required level.
- C. Open the hierarchy options of the material from hore bar and deselect the required level in the show levels option.
- D. Open the hierarchy options of the material from the ment bar and expand the hierarchy to the required level.

Answer: AD

Question: 63

You need to transfer delta data and ensure Full Quality of Service. You are using an SAP Business Warehouse Web service. Which SAP Process Integration (SAP PI) adapter do you use?

Please choose the correct answer.

Response:

- A. SAP PI Simple Object Access Protocol Call adapter
- B. SAP PI File Transfer Protocol adapter
- C. SAP PI ABAP proxy communication adapter
- D. SAP PI Remote Function Call adapter

Answer: C

Question: 64

You run a query containing many free characteristics and some external hierarchies should be as fast as possible. Which of the following read modes do you choose?

Please choose the correct answer.

Response:

- A. X Query to read data during navigation
- B. A Query to read all data at once
- C. H Query to read when you navigate or expand hierarchies

Answer: C

Question: 65

Which sources can you select when you model a composite provider?

There are 3 correct answers to this question.

Response:

- A. SAP HANA analytic views
- B. SAP HANA analysis processes
- C. Other composite providers
- D. Multiproviders
- E. SAP HANA Calculation views

Answer: ACE

Question: 66

Besides Datasource objects and advanced Datastore objects, which other objects are required to create a transaction data flow for loading an advanced Datastore objects?

Please choose the correct answer.

Response:

- A. Data transfer process.transformation
- B. Infopackage.transformation
- C. Data flow objects.transformation.
- D. Info source.Data flow objects

Answer: A

Question: 67

You want to copy an SAP Business warehouse query from a source info provider to a target info provider. which prerequisite must be fulfilled?

Please choose the correct answer.

Response:

- A. The type of the source info provider and the target info provider must be the same.
- B. The target info provider must contain at least all the info objects
- C. The query to be copied must NOT contain reusable query components.

Answer: B

Question: 68

Which query element contains the OR operator?

Please choose the correct answer.

Response:

- A. Default value filter
- B. Restricted key figure
- C. Calculated key figure
- D. Characteristic restriction filter

Answer: C

Question: 69

Your customer migrates to SAP Business warehouse (SAP BW) Powered by SAP HANA and wants to enrich reporting with native SAP HANA features. What data modelling approach SAP recommends?

Please choose the correct answer.

Response:

- A. Create external SAP HANA views on SAP BW infoproviders and SAP BW queries.
- B. Create main data modeling in SAP HANA and combine it SAP BW planning infoproviders
- C. Create SAP HANA views and discard the existing SAP BW models
- D. Create SAP HANA Calculation views on SAP BW data flow.

Answer: A

Question: 70

Which objects can you use to trigger delta merge?

There are 2 correct answers to this question.

Response:

- A. Transformation
- B. Infopackage
- C. Data transfer process
- D. Process chain

Answer: CD

Question: 71

Which activities do you perform when you create a data flow for master data?

There are 3 correct answers to this question.

Response:

- A. Add non-persistent info objects and non-persistent Data source.
- B. Modify non-persistent info objects and assign them to the data transfer process
- C. Add or create persistent info objects, Data source transformation and a data transfer process.
- D. Create a non-persistent transformation and non-persistent data transfer process to connect both.
- E. Create a non-persistent source system and non-persistent Data source

Answer: ACD

Question: 72

You create an advanced Data store (aDSO) Based on a standard DSO template to store consolidation data. Which options do you have to define the object model?

There are 3 correct answers to this question.

Response:

- A. Delete change log
- B. Write change log
- C. Aggregate Data
- D. Activate/compress Data
- E. Unique Data Records

Answer: BDE

Question: 73

What do Database connect, universal date connect, and the SAP business warehouse service API have in common?

Please choose the correct answer.

Response:

- A. The direct access is available
- B. The delta queue exists
- C. Using the persistent staging Area is mandatory
- D. The Data source must be created directly in SAP Business warehouse.

Answer: C

Question: 74

Your customer wants to integrated streaming data into SAP HANA. What do you need to create?

Please choose the correct answer.

Response:

- A. An SAP HANA Source system in the SAP HANA modeler of the SAP HANA studio.
- B. A database connect Data source SAP Business warehouse modeling tools of the SAP HANA studio.
- C. An SAP Business warehouse data source for smart data integration in the administration console of the SAP HANA studio.
- D. An SAP smart data integration remote source in the administration console of the SAP HANA studio.

Answer: D

Question: 75

What can you define in the BEx Query Designer cell editor?

There are 3 correct answers to this question.

Response:

- A. Help cells that serve as containers for help selections or help formulas.
- B. Formulas and selection conditions for cells to solve formula collision.
- C. Additional filter restrictions that apply to a complete column or row of the result set.
- D. Variables with the replacement path option to pass values to reference cells.

Answer: ABD

Question: 76

You need to delete data for a company code from an advanced Datastore where do you do this?

Please choose the correct answer.

Response:

- A. Environment menu->remove inbound table
- B. Select the request->delete
- C. Environment menu->Delete content
- D. Environment menu->Selective Deletion

Answer: D

Question: 77

You use an API to trigger a process chain in streaming mode. which process type do you use?

Please choose the correct answer.

Response:

- A. Data transfer process on SAP HANA Data source
- B. Data transfer process on operational data provisioning Data source
- C. Data transfer process on advanced Data store object
- D. Data transfer process on standard Data store object

Answer: B

Question: 78

You need to define an authorization that allows the analyst to save and changed queries. Which authorization objects do you need to assign and configure?

Please choose the correct answer.

Response:

- A. S_RS_Comp and S_RS_CoMP1
- B. S_RS_DS and S_RS_IOBJ
- C. S_RS_CUBE and S_RS_10BJ
- D. S_RS_AUTH and S_RS_COMP

Answer: A

Question: 79

In the SAP business Warehouse Query Designer in the SAP HANA studio, what can you define using the cell editor?

Please choose the correct answer.

Response:

- A. Help cells that serve as containers for help selections or formulas to display in the query
- B. Cell references that can pass their results to variables processed with a replacement path
- C. Additional filters restrictions that apply to a complete column or row of the result set
- D. Formulas and selections for cells to override the cell values

Answer: D

Question: 80

What objects must you create when you load external appar aged fo SAP Business warehouse with a web service Data source?

There are 2 correct answers to this question.

Response:

- A. An info package for the web service Data source
- B. A web service after the web service Data sourced
- C. A daemon background process
- D. A PSA table after the web service Data source

Answer: AC

Question: 81

You need to generate SAP HANA views SAP based on Business Warehouse(SAP BW)infoproviders. which activities do you perform to consume the
There are 2 correct answers to this question.
Response:

- A. Create an SAP HANA user with the identical name as the SAP BW user.
- B. Migrate the SAP BW user roles in the HANA user.
- C. Assign the SAP HANA user in SAP BW user administration
- D. Create an SAP HANA role on the SAP BW role.

Answer: CD

Question: 82

You need to define an authorization that allows the analyst to save and changed queries. Which authorization objects do you need to assign and configure?
Please choose the correct answer.
Response:

- A. S_RS_Comp and S_RS_Comp1
- B. S_RS_CUBE and S_RS_10BJ
- C. S_RS_DS andS_RS_IOBJ
- D. S_RS_AUTH and S_RS_COMP

Answer: A

Question: 83

What are the advantages of using the compounding method instead of the concatenation method in the SAP Business warehouse(SAP BW)data model?
There are 3 correct answers to this question.
Response:

- A. One field is sufficient to distinguish information in the reports.
- B. SAP BW provides a compounding option in the in object definition.
- C. it is easier to field and reconcile with the source.
- D. Transformation is based on 1:1 relations
- E. Fewer fields involved in the method need to be modeled.

Answer: ABC

Question: 84

You want to create a workbook that shows turnover per material group. Materials are organized hierarchically on three levels. Business users want to view the t level 3. they also want to be able to aggregate on lower hierarchy levels.

How can they do this?

There are 2 correct answers to this question.

Response:

- A. Open the hierarchy options of the material from hore bar and deselect the required level in the show levels option.
- B. Open the hierarchy options of the material from the ment bar and expand the hierarchy to the required level.
- C. Open the hierarchy options of the material & the ment bar and select the required level in the show levels option.
- D. Open the context menu of tee in the analysis and expand the hierarchy of the required level.

Answer: BC

Question: 85

Your customer converts LSA to LSA++ and needs to streamline the enterprise data warehouse layer. What action do you take?

Please choose the correct answer.

Response:

- A. Apply the SAP Business Warehouse workspace layer.
- B. Reduce the number of persistent InfoProviders.
- C. Migrate all SAP Business Warehouse objects to SAP HANA optimized objects.
- D. Apply the Open ODS layer.

Answer: B

Question: 86

Our customer wants to create a composite provider to combine data from two advanced Data store objects(DSO). Which operation does the system propose, by default to combine the data of both advanced DSOs?

Please choose the correct answer.

Response:

- A. Inner join
- B. Join
- C. Union
- D. Left Outer join

Answer: C

Question: 87

The source of a transformation contains three data characteristics: .order date. Delivery date. Invoice as the target of the transformation contains only date characteristic. This target characteristic must be populated from the different date characteristics in the source how do you achieve this?

Please choose the correct answer.

Response:

- A. Implement three rule groups in the transformation.
- B. Use the rule type time distribution.
- C. Use the rule type time conversion.
- D. Create two additional transformations.

Answer: A

Question: 88

Your customer migrates to SAP Business warehouse (SAP BW) Powered by SAP HANA and wants to enrich reporting with native SAP HANA features. what data modelling approach SAP recommend?

Please choose the correct answer.

Response:

- A. Create SAP HANA Calculation views on SAP BW data flow.
- B. Create external SAP HANA views on SAP BW infoproviders and SAP BW queries.
- C. Create SAP HANA views and discard the existing SAP BW models
- D. Create main data modeling in SAP HANA and combine it SAP BW planning infoproviders

Answer: B

Question: 89

Which of the following activities are part of the realization phase of an SAP Business Warehouse (SAP BW) project?

There are 3 correct answers to this question.

Response:

- A. Design the data layer concept based on the LSA++ architecture.
- B. Build SAP HANA views and define their properties.
- C. Create and activate SAP BW objects.
- D. Define a service level agreement.
- E. Create functional and technical documentation.

Answer: BCE

Question: 90

Your customer has a division that sells the same products with different master data. How you can enhance an SAP HANA view to include the division's sales of these products?

Please choose the correct answer.

Response:

- A. Use the SAP HANA studio and add a level or parent-child hierarchy based on a join with tables from the subsidiary system in the semantics node.
- B. Use the SAP HANA studio and add a calculation view of type dimension With two additional hierarchies in the Semantics node.
- C. Use the SAP HANA studio and add a level or parent-child hierarchy based on eth tables in the semantics node.
- D. Use the SAP Business warehouse modelling tools of SAP HANA studio t he necessary characteristics to include external hierarchies.

Answer: A

Question: 91

You use SAP Landscape Transformation Replication sees th operational data provisioning. Which of the following data acquisition features are provided?

There are 3 correct answers to this question.

Response:

- A. Ability to use simple coded mapping rules
- B. Direct update to SAP Business warehouse info providers

- C. Real-time replication to SAP Business warehouse
- D. Ability to use complex coded mapping rules
- E. Removal of restrictions for extractors.

Answer: ABC

Question: 92

What do Database connect, universal date connect, and the SAP business warehouse service API have in common?

Please choose the correct answer.

Response:

- A. The Data source must be created directly in SAP Business warehouse.
- B. The delta queue exists
- C. Using the persistent staging Area is mandatory
- D. The direct access is available

Answer: C

Question: 93

You need to delete data for a company code from an advanced Datastorg ghieet where do you do this?

Please choose the correct answer.

Response:

- A. Environment menu->remove inbound table
- B. Environment menu->Selective Deletion
- C. Select the request->delete
- D. Environment menu->Delete content

Answer: B

Question: 94

You want to fill variables automatically by using the Replacement path more Which of the following variables types are supported?

There are 3 correct answers to this question.

Response:

- A. Formula
- B. Hierarchy node

- C. Hierarchy
- D. Text
- E. Characteristic value

Answer: ADE

Question: 95

How can you trigger the delta merge operations in SAP Business warehouse by SAP HANA?
There are 2 correct answers to this question.

Response:

- A. Select the trigger Database merge checkbox from Data Transfer process
- B. Select the trigger Database merge checkbox from info packages.
- C. Add a variant to a process chain.
- D. Execute the SQL statement using data volume distribution in the BR warehousing workbench.

Answer: AC

Question: 96

Your customer needs to link two queries with a report-report interface(RQ transaction RSBBS which parameters do you set in the query sender to jump to the query receiver.

There are 3 correct answers to this question.

Response:

- A. Receiver object
- B. Report type
- C. RFC Destination
- D. Sender system
- E. Target system

Answer: ADE

Question: 97

You need to create an SAP HANA calculation view and connect a fact table to a dimension view. which type of node do you create?

Please choose the correct answer.

Response:

- A. Aggregation node

- B. Union node
- C. Join node
- D. Star join node

Answer: D

Question: 98

Which combination of database tables is used when you model an new data store object like an info cube?

Please choose the correct answer.

Response:

- A. Active data and change log
- B. Active data,inbound table,and change log
- C. Change log and inbound Table
- D. Active data and inbound Table

Answer: D

Question: 99

You need to create an SAP Business Warehouse data flow that combines data from two sources in an advanced Datastore object(DSO)There are different and value for the same entry in the source.which approach does SAP recommend?

Please choose the correct answer.

Response:

- A. Create an info set as a non-persistent intermediate layer.the source-dependent parts of the transformation need to be implemented before the info set.
- B. Create an open ODS as a non-persistent intermediate layer to perform a join from the source dependent parts need to be implemented in the same transformation.
- C. Create an info source as a non-persistent intermediate layer.the source-dependent parts of the a transformation need to be implemented before the info source.
- D. Create a composite provider as a non-persistent intermediate layer to perform a join from the source.the source-dependent parts need to be implemented in the same transformation.

Answer: D

Question: 100

You need to remodel a characteristic infobject and the remodeling toolbox. which activities can you perform?

There are 2 correct answers to this question.

Response:

- A. Add or delete a compounding characteristic
- B. Change the attribute type.
- C. Change a reference characteristic.
- D. Add attributes to a characteristic.

Answer: AB

Question: 101

In accordance with the layered scalable architecture, which layers represent the architected data mart layer?

Please choose the correct answer.

Response:

- A. Harmonization layer.Reporting layer.reporting later.Virtualization layer
- B. Data propagation layer.reporting layer.Virtualization layer
- C. Harmonization layer.Business transformation layer.Virtualization layer
- D. Business transformation layer.reporting layer.Virtualization layer

Answer: D

Question: 102

Which of the following restrictions apply to the usage of structures in a query?

There are 3 correct answers to this question.

Response:

- A. you can create only two key figure structure in a query.
- B. you can use only one characteristic structure in a query.
- C. you can create only two characteristic structures in a query.
- D. you can create only two structures in a query.
- E. you can use only two key figure structures in a query.

Answer: ACD

Question: 103

Which action can you perform when you select manager an Advanced Data store object?
Please choose the correct answer.

Response:

- A. Selectively delete data.
- B. Activate the advanced Data store object.
- C. create ae transfer process.
- D. Display metadata.

Answer: A

Question: 104

Which activities do you perform when you create a epic data flow for master date?
There are 3 correct answers to this question.

Response:

- A. Create a non-persistent transformation and non-persistent data transfer process to connect both.
- B. Modify non-persistent info objects and assign them to the date transfer process
- C. Add or create persistent info objects, Data source transformation and a data transfer process.
- D. Add non-persistent infobjects and non-persistent Data source.
- E. Create a non-persistent source system and non-persistent Data source

Answer: ACD

Question: 105

You want to build a query in the BEx Query Designer to display the ten customers with the highest sales revenue. Which activity do you need to perform?

There are 2 correct answers to this question.

Response:

- A. Use the All characteristics in Drilldown independently option.
- B. Use an exception aggregation on the customer number.
- C. Create a condition using the TOP N ranked list operator.
- D. Define an alert level on the sales revenue.

Answer: AC

Question: 106

Which tool do you use to monitor streaming process chains?

Please choose the correct answer.

Response:

- A. Operational Delta Queue monitor
- B. Subscription monitor
- C. Queued Task manager monitor
- D. Real-time Data acquisition monitor

Answer: A

Question: 107

Which object type performs the delta merge check automatically?

Please choose the correct answer.

Response:

- A. Write-optimized Datastore object
- B. Persistent staging Area
- C. SAP HANA optimized info cube
- D. Standard info cube

Answer: B

Question: 108

Why is graphical date flow modeling preferred over classical data flow modeling?

There are 2 correct answers to this question.

Response:

- A. it helps you define your own templates to set standards for your customer.
- B. You can execute it to load date
- C. It provides a better overview of the data flows.
- D. you can view it using the SAP Business warehouse modelling tools of the SAP HANA Studio.

Answer: AD

Question: 109

Before you can use a DB connect data flow in SAP Business warehouse(SAP BW),which of the following tasks must you perform?

There are 3 correct answers to this question.

Response:

-
- A. Load the RDBMS meta base into a table in SAP BW that the data source can access.
 - B. Create a Data source on database tables and views with technical names in lowercase letters.
 - C. Install a date base-specific client for the source RDBMS on the SAP BW application server.
 - D. Create a Data source on database tables and views with technical names in uppercase letters.
 - E. Install an SAP-specific Database shared library on the SAP BW application server.

Answer: ACE

Question: 110

Which of the following objects can you associate when you create an open ODS view?

Please choose the correct answer.

Response:

- A. Infobject
- B. Advanced datastore object
- C. SAP HANA calculation view
- D. Composite provider

Answer: D

Question: 111

Which of the following objects are available when you activate SAP Business objects Business Intelligence content?

There are 3 correct answers to this question.

Response:

- A. Process chain
- B. Data flow
- C. Calculation view
- D. Planning function
- E. Aggregation level

Answer: ABE

Question: 112

Which the following objects can you create when you use the SAP Business Warehouse modeling tools in the SAP HANA studio?

There are 3 correct answers to this question.

Response:

- A. Process chains
- B. Local composite providers
- C. Key figures
- D. global filters
- E. Restricted key figures

Answer: CDE

Question: 113

You use the query monitor transaction(RSRTI)to investigate the poor performance of a query. which actions do you perform when you use this transaction?

There are 3 correct answers to this question.

Response:

- A. Debug the query
- B. Maintain the read mode and the cache mode of the query.
- C. Execute the query without using the cache
- D. Change the query definition
- E. Maintain the technical info of the query.

Answer: ABC

Question: 114

Your customer wants to activate SAP HANA-Optimized business content to store historical data.which layer do you use?

Please choose the correct answer.

Response:

- A. Virtual data mart layer
- B. Corporate memory layer
- C. ODS layer

Answer: B

Question: 115

Which advanced Datastore object modeling templates are available in SAP Business Warehouse?

There are 2 correct answers to this question.

Response:

- A. Compositeprovider
- B. Open ODS view
- C. Corporate memory with compression.
- D. Data acquisition layer

Answer: CD

Question: 116

Your customer has an existing cube calculation view of global sales in various currencies.what should you do to convert all revenues to th currency?

Please choose the correct answer.

Response:

- A. Join the cube calculation view to an additional dimension view.
- B. Join the cube calculation view to a calculation view a restricted column for each currency.
- C. Add an additional cube calculation view for the currency conversion.
- D. Add a calculation view including a calculated column on a measure.

Answer: C

Question: 117

You execute an SAP Business warehouse(SAP BW)Source query and jump to a target SAP BW query with the report interface .what information is transferred by default?

There are 3 correct answers to this question.

Response:

- A. Filters from the selected restricted key figure
- B. Default filter values
- C. Filters by measure.
- D. Fixed filter values
- E. Runtime properties

Answer: ADE

Question: 118

What can you define in the BEx Query Designer cell editor?

There are 3 correct answers to this question.

Response:

- A. Formulas and selection conditions for cells to solve formula collision.
- B. Help cells that serve as containers for help selections or help formulas.
- C. Variables with the replacement path option to pass values to reference cells.
- D. Additional filter restrictions that apply to a complete column or row of the result set.

Answer: ABC

Question: 119

Your customer wants to integrated streaming data into SAP HANA. What do you need to create?
Please choose the correct answer.

Response:

- A. An SAP smart data integration remote source in the administration console of the SAP HANA studio.
- B. An SAP HANA Source system in the SAP HANA modeler of the SAP HANA studio.
- C. A database connect Data source SAP Business warehouse modeling tools of the SAP HANA studio.
- D. An SAP Business warehous dats ource for smart data integration in the administration console of the SAP HANA studio.

Answer: A

Question: 120

You use an API to trigger a process chain in streaming mode.which process type do you use?
Please choose the correct answer.

Response:

- A. Data transfer process on SAP HANA Data source
- B. Data transfer process on operational data provisioning Data source
- C. Data transfer process on standard Data store object
- D. Data transfer process on advanced Data store object

Answer: B

Question: 121

Your customer wants near-real-time reporting and considers either using real-time data acquisition (RDA) or acquiring data in real time using SAP landscape transformation Replication Replication server (SLT) with operational data provisioning (ODP).

What advantages does SLT with ODP have over RDA?

There are 2 correct answers to this question.

Response:

- A. SLT uses an RDA-enabled data transfer process to load directly into SAP Business warehouse.
- B. SLT uses the persistent storage area (PSA) as a backup
- C. SLT stops the load process when a subscriber is cancelled.
- D. SLT allows multiple info providers as subscribe to the same data.

Answer: AD

Question: 122

What are some of the advantages of SAP HANA smart data integration?

There are 3 correct answers to this question.

Response:

- A. A replacement for the Universal Data connect and database connect data a on technologies
- B. A Methodology for streaming data into SAP Business warehouse
- C. A Methodology to bypass the use of SAP Business Warehouse data transfer processes
- D. A Methodology to efficiently transform data in SAP Business warehouse
- E. A Methodology to efficiently integrate external data into SAP Business warehouse

Answer: ACE

Question: 123

Your customer wants to link a query to an external URL. Which of the following steps are required for a report-report interface setting?

There are 3 correct answers to this question.

Response:

- A. Select the Web address from the list of report types.
- B. Select a system from the Source Systems tab.
- C. Insert the Web address in the assignment details.
- D. Select Receiver Object and enter the Web address.
- E. Insert the parameter for the Web address in the assignment details.

Answer: ADE

Question: 124

Implementation in support of a targeted business process?

- A. IT practices
- B. Scenarios
- C. Scenario Variants
- D. Usage types

Answer: A, B, C, D

Question: 1215

What functions has Data Warehousing Workbench (DWWB)?

- A. Modeling
- B. Reporting
- C. Scheduling
- D. Monitoring

Answer: A, C, D

Question: 126

A Conceptual description of data objects, their attributes, and the relationships between them is :

- A. A data model
- B. An InfoCatalog
- C. An InfoSet
- D. An InfoSource

Answer: A

Question: 127

Which of the following are types of SAP BW Infocubes?

- A. Multicube
- B. Inverted cube
- C. Virtual cube

- D. Relational cube
- E. Basic cube

Answer: A, C, E

Question: 128

How many hierarchies can be created for a key figure?

- A. 10
- B. 2
- C. 5
- D. More than 1
- E. None

Answer: E

Question: 129

Navigational attributes behave in a query like which of the following?

- A. Attributes
- B. Variables
- C. Characteristics
- D. Filters
- E. None of above

Answer: C

Question: 130

Which of the following objects is not provided in business content?

- A. Infocube
- B. InfoSource
- C. KPIs
- D. Queries
- E. SAP ECC Extractor program
- F. None of the above

Answer: F

Question: 131

What are the three predefined dimensions in SAP BW?

- A. Date
- B. DataPackage
- C. Time
- D. Unit

Answer: B, C, D

Question: 132

The PSA consists of transparent table for sorting the detailed request in the format of the Transfer structure. Determine the statement True or False.

- A. True
- B. False

Answer: A

Question: 133

In which of the following elements can data transformation take place in Data Flow 3.X?

- A. Extract rule
- B. Report result
- C. Transfer routine
- D. Transfer rules
- E. Update rules

Answer: C, D, E

Question: 134

Which of the following statements are not correct about the PSA?

- A. Created for each communication structure.
- B. Transfer rules have been applied.

- C. You can load from the PSA to an Infocube.
- D. Queries can be generated from the PSA.
- E. None of the above.

Answer: A, B, D

Question: 135

Which of the following items are part of an InfoObject definition?

- A. Attributes
- B. Hierarchies
- C. Text Information
- D. Dimension
- E. Transaction codes

Answer: A, B, C

Question: 136

Which of the following are benefits of the DSO?

- A. Overwrite capability.
- B. Reporting.
- C. Data Compression.
- D. Store data on the document level.
- E. None of the above

Answer: A, B, D

Question: 137

Multiple source systems can be assigned to an InfoSource. Determine the statement True or False.

- A. True
- B. False

Answer: A

Question: 138

What is the maximum number of key figure in an Infocube?

- A. 13
- B. 85
- C. 322
- D. 233

Answer: D

Question: 139

Non-SAP data sources can load data into SAP BW via which of the following elements?

- A. Flat files
- B. Third-party extraction and load tools
- C. ACCESS database files
- D. CSV files only

Answer: A, B

Question: 140

How many dimension tables can the SAP BW system administrator create per Infocube?

- A. 13
- B. 16
- C. 233
- D. 248

Answer: B

Question: 141

A transformation can contain multiple rule groups, and rule groups allow you to combine various rules. Determine the statement is True or False.

- A. True
- B. False

Answer: A

Question: 142

DataStore objects are designed to store summarized transaction data.

a. Determine the statement is True or False.

A. True

B. False

Answer: B

Question: 143

For key figures, it is possible to display both long and short text. Determine the statement is True or False.

A. True

B. False

Answer: B

Question: 144

In a BI extended star schema, master data tables are the extensions. They are linked to the DIM table by way of a SID. Determine the statement is True or False.

A. True

B. False

Answer: A

Question: 145

InfoSources are exactly the same in both the old and new ETL processes. Determine the statement is True or False.

A. True

B. False

Answer: B

Question: 146

Using the formula rule type, you can develop custom transformation logic without the need to know ABAP syntax. Determine the statement is True or False.

- A. True
- B. False

Answer: A

Question: 147

When you integrate new targets after the warehouse is up and running you must consider issues surrounding delta processing and making sure all the data is consistent. Determine the statement is True or False.

- A. True
- B. False

Answer: A

Question: 148

To create new objects to store data for BI, you would access Administration tab of the DWWB. Determine whether the statement is True or False.

- A. True
- B. False

Answer: B

Question: 149

InfoProviders are technical tables joined in some way. They are constructed using fields in BI that we call _____. Choose the correct answer(s).

- A. Business fields.
- B. InfoObects.
- C. Special fields.
- D. InfoItems.

Answer: B

Question: 150

A navigational attribute: Choose the correct answer(s):

- A. Must be allowed on the InfoObject.
- B. Must be enabled for all providers where it should be used.
- C. Provides a different view of "history" compared to the same InfoObject in the DIM.
- D. Is a field on a dimension table.

Answer: A, B, C

Question: 151

Which statements about the BI ETL process (NetWeaver 2004s) are true?

- A. A DTP loads data to a PSA.
- B. An InfoPackage loads data directly to the BI InfoProvider.
- C. A transformation loads data to a PSA.
- D. A transformation occurs on the data before it leaves the source system.
- E. None of the above.

Answer: E

Question: 152

Which statements are true about DB connect?

- A. It is faster than UD Connect.
- B. It is faster than the file interface.
- C. It is slower than UD Connect.
- D. It is the slowest one of all these choices.

Answer: A, B

Question: 153

XML would be good for: Choose the correct answer(s):

- A. Loading a shopping cart from an Internet application.
- B. Efficiently loading 10,000 records.
- C. Extracting from a SAP R/3 system.
- D. Extracting from another BI system.

Answer: A

Question: 154

The error stack can help you in which areas? Choose the correct answer(s).

- A. Identifying erroneous records.
- B. Automatically fixing bad records.
- C. Reducing your dependence on temporary storage.
- D. Improving load times.

Answer: A

Question: 155

Some advantages of BI Content are: Choose the correct answer(s):

- A. It is preconfigured and end-to-end in scope.
- B. It speeds implementation.
- C. It costs additional millions of dollars.
- D. It allows quick prototyping.

Answer: A, B, D

Question: 156

Why are DataStore Objects so important? Choose the correct answer(s).

- A. They can overwrite data.
- B. They store detailed data leaving Infocubes to store aggregated data.
- C. They allow for raw uncleansed data to be stored for 3 months.
- D. They easily integrate in the data flow.

Answer: A, B, D

Question: 157

Which of the following statements are true?

- A. InfoSets join more than one target to a logical set for reporting.
- B. RDA supports operational reporting.
- C. VirtualProviders can cause a load on the OLTP system and BI at the same time.
- D. You have more to learn.

Answer: A, B, C, D

Question: 158

What are some typical administration tasks?

- A. Remodeling
- B. Request Archiving
- C. Document indexing
- D. System settings

Answer: A, B, C, D

Question: 159

Requested-based deletion would solve which the following problems?

- A. Deleting the last load of bad data.
- B. Deleting data for a specific company code and division combination.
- C. Deleting the request from both the change log and the active table if the request was already activated, but not in the follow-on target.
- D. A targeted deletion of change log data.

Answer: A, C

Question: 160

Which statements about process chains are true?

- A. Process chains have a graphical design GUI.
- B. Process chains have log, checking and planning views.

- C. Process chains have many process types to control your BI project.
- D. Collector process include AND and OR and EXOR.

Answer: A, B, C, D

Question: 161

Identify issue affecting query performance that you, as a BI administrator, are responsible for officially.

- A. Query design
- B. CPU selection
- C. Aggregates
- D. Memory utilization and availability

Answer: C

Question: 162

Identify issue affecting query performance that you, as a BI administrator, are responsible for.

- A. Compression
- B. Data model
- C. Web page design and Java scripting
- D. Read mode

Answer: A, B, D

Question: 163

Database statistic is the same thing as BI Statistics. Determine whether the statement is True or False.

- A. True
- B. False

Answer: B

Question: 164

SAP HANA provides a choice of row or column storage types. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 165

Modeling with SAP HANA, you can use a virtual table in a view. Which of the following are advantages of this virtual data model?

- A. Fewer objects are needed
- B. The model is highly flexible
- C. The data footprint is reduced
- D. Data is only replicated once
- E. The data is always up to date

Answer: A, B, C, E

Question: 166

The concept of storage separation in SAP HANA means that delta data is stored on disk to minimize the demand on main memory. Determine whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 167

Which of the following are Best Practice options for storing data in a BW system running on SAP HANA?

- A. Store the bulk of the data on disk for retrieval when required (warm data)
- B. Store the most relevant data in a compressed column store (hot data)
- C. Split the most relevant data by date and store between an uncompressed column store and tables stored on disk (warm data)
- D. Store all data in compressed column stores to maximize performance (hot data)
- E. Move less important data into an external storage system (cool data)

Answer: A, B, E

Question: 168

Which of the following are golden rules for modelers using SAP HANA? Choose the correct answers.

- A. Save less important data outside of memory
- B. Use column stores for analytical tasks
- C. Virtual data sources should use SAP HANA as the database
- D. Be economical and re-use SAP HANA Views when possible
- E. Modularize the data model and maximize performance using parallelization

Answer: A, B, D, E

Question: 169

The SAP BW architecture is made up of the extraction layer, the data layer, and the reporting layer. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 170

Based on BW 7.5, which of the following should be considered when modeling master data and transaction data?

- A. If master data does not need to be replicated, an Open ODS View for texts and attributes could be used.
- B. If transaction data should be stored, an Advanced Data Store Object (ADSO) should be used.
- C. To load transaction data efficiently, an Open ODS View of type facts should be used.
- D. Replicate the data into a classic InfoCube
- E. If master data is to be persisted, then characteristics should be used

Answer: A, B, D, E

Question: 171

Storing raw data in PSA data packages is recommended when the data will update multiple data targets or when the amount of data being extracted is large. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 172

The SAP BW architecture is made up of the extraction layer, the data layer, and the reporting layer. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 173

Storing raw data in PSA data packages is recommended when the data will update multiple data targets or when the amount of data being extracted is large. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 174

In a productive landscape, SAP Best Practice is to have at least a development system, a quality assurance system and a productive system. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 175

The productive BW system is always defined as a closed system in which changes can only be made by importing a transport. Determine whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 176

Which of the following are advantages of separating master data and transactional data?

- A. Referential integrity of transaction data can be assured because records without matching master data will not be loaded
- B. Time—dependent data can be modeled simply
- C. Harmonization of master data with multiple source systems can be achieved with system—specific master data tables
- D. Texts can be stored in multiple languages
- E. Storage costs are reduced because data is only stored once

Answer: B, D, E

Question: 177

Which of the following statements are true regarding the difference between compounding and concatenation?

- A. Compounding is easier to filter in queries because the objects are separate whereas with concatenation, the key string needs to be masked
- B. Compounding is easier for users to understand because it is based on a 1:1 object mapping but concatenation is more complex for users to understand and decipher
- C. Concatenation uses a single key value but compounding uses more than one
- D. Adding key fields in concatenation is easier because only the transformation needs to be changed but in compounding structures need to be changed and data re-loaded
- E. Compounding is supported in the definition of the InfoObject whereas concatenation requires the creation of new database tables

Answer: A, B, C, D

Question: 178

Which of the following are ways in which joins can be made using SAP BW on SAP HANA?

- A. A BW InfoSet can be used to create a temporal join

- B. A native SAP HANA calculation view can perform inner and outerjoins
- C. An Advanced DSO can create joins between master data and transaction data
- D. BW Composite Provider can provide inner and outer joins
- E. Transformations can perform joins of multiple DataSources

Answer: A, B, D

Question: 179

Which of the following guidelines should be considered in an enterprise—wide implementation of BW on HANA?

- A. How will the different data models be incorporate
- B. Utilize the LSA++ layers in the design of the EDW
- C. Which languages and currencies will need to be considered
- D. What will the system and transport landscape be comprised of
- E. Which users will be logging onto the system

Answer: A, B, C, D

Question: 180

Data model definition is an activity carried out in the realization phase of a BW Project. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 181

In developing a logical data model, SAP Best Practice is to build the model using a top-down, key figure approach or a bottom—up DataSource approach. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 182

Business Content available for SAP BW on SAP HANA uses the LSA++ design concept with a DataSource, a Corporate Memory and a persistent propagator ADSO. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 183

Business Content available for SAP BW on SAP HANA uses the LSA++ design concept with a DataSource, a Corporate Memory, and a persistent propagator ADSO. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 184

Open ODS Views enable you to define SAP BW data models for objects like database tables, database views or BW DataSources (for direct access). Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 185

Temporal conditions can be defined on columns of the following data types: timestamp, date, and text. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 186

Which of the following are the correct terminology about hierarchies? Choose the correct answers.

- A. An entity in a hierarchy is called a node
- B. Nodes that have no parents are called orphan nodes
- C. Nodes that have no children nodes are called leaf nodes or leaves
- D. A relationship between a node and its parent node is called a family tree
- E. A hierarchy with leaves on different levels is an unbalanced hierarchy

Answer: A, C, E

Question: 187

Unlike the classic star schema where facts are stored in the fact table, in SAP HANA, multiple views may be used to represent the central fact view in a virtual data model. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 188

Which of the following is required to perform currency conversion in an SAP HANA information model?

- A. An innerjoin is required between the Open ODS View measures and the exchange rate table
- B. A set of technical tables are required to store currencies and exchange rate types and rates
- C. Setting a semantic type to a measure so the amount always includes a currency
- D. Storing the currency and the exchange rate on the day of the transaction will improve performance
- E. An interface to define how the currency conversion should be processed

Answer: B, C, E

Question: 189

In the SAP BW data model, master data is stored separately in attribute, text and hierarchy tables that are linked together using surrogate ID (SID). Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 190

Time—dependent and time independent attributes are stored in the same 'X' table which uses 'Date From' and 'Date To' as key fields. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 191

A reference InfoObject is a 'template' of an InfoObject that is then used as a reference or other objects when the characteristic properties are the same. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 192

Which of the following statements regarding internal and external hierarchies are true? Choose the correct answers.

- A. Internal hierarchies have no link to master data tables
- B. Internal hierarchies are used to display characteristics without using an external hierarchy
- C. External hierarchies are defined in Business Explorer Query Designer on the hierarchy tab
- D. 'External' hierarchies are defined as external because the data is stored outside of BW on the OLAP server
- E. External hierarchies are stored in BW master data tables

Answer: A, B, E

Question: 193

Exception aggregation has no effect on the saving of data in the fact table because it is only effective for reporting. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 194

Currency translation types are control how exchange rate calculations are performed when data is either loaded in to BW once a query is executed. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 195

As part of currency translation, a quantity conversion type can be defined to convert the quantity of a currency into the new currency. Determine whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 196

Non-cumulative key figures are values calculated according to a particular period of time and the value is then incremented or decremented based on an inflow or outflow. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 197

Which of the following statements regarding Advanced DataStore Objects (ADSOs) are correct?

- A. The keys of an ADSO can be a mixture of InfoObjects and fields.
- B. Non-cumulative key figures cannot be included in ADSOs.
- C. ADSOs can have up to 120 key fields.
- D. A direct update ADSO does not have an Inbound Table or a Change Log.
- E. ADSOs cannot be used as a source in a transformation for another ADSO.

Answer: A, C, D

Question: 198

Which of the following statements describe the advantages of CompositeProviders over the classic MultiProviders/InfoSets?

- A. CompositeProviders provide joins and unions with a single object.
- B. CompositeProviders can also include joins to classic MultiProviders.
- C. CompositeProviders integrate with all the BW InfoProviders.
- D. A CompositeProvider can be consumed by another CompositeProvider.
- E. Classic MultiProviders have to be recreated as CompositeProviders.

Answer: A, C, D

Question: 199

To model the tracking history scenarios of historical truth and current truth, two different star schemas are required. Determine whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 200

If an InfoSource is used in front of an InfoProvider and an outbound InfoSource after an InfoProvider, the transformation logic is always located between the outbound InfoSource of the source InfoProvider and the inbound InfoSource of the target InfoProvider. Determine whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 201

Data Models in BW can be made available in SAP HANA using the manual pull mechanism or automatically using the push function which is set in the BW InfoProvider properties. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 202

If a global element of a query is changed in BW, these changes are automatically passed to the SAP HANA calculation view that was created from the BW query. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 203

Workspace Query Designer can be used to create queries that can be used across the entire company because the tool is really using BEX Query Designer. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: B

Question: 204

When used for planning, Real Time InfoCubes contain a single table and Advanced Data Store Objects comprise two tables for storing compressed and uncompressed data. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 205

The EDW Core Layer includes all layers that contain consolidated and harmonized data. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 206

Using the Remodeling Toolbox, InfoObjects can be changed without having to delete or reload master data. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A

Question: 207

By using a MultiProvider on top of each InfoCube to control query access, you significantly reduce the effort required, for example, to copy queries after remodeling takes place. Determine Whether this statement is true or false.

- A. True
- B. False

Answer: A



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

20% Discount Coupon Code: 20off2019