



CERTSWARRIOR

AACN

*CCRN-Adult
Critical Care Nursing*

Questions & Answers PDF

For More Information:

<https://www.certswarrior.com/>

Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

Question: 1

Changes in sensory aphasia are often associated with a _____ lesion.

- A. Frontal lobe
- B. Parietal lobe
- C. Broca's area
- D. Wernicke's area

Answer: D

Question: 2

Which of the following diseases has not been directly linked with Bell's palsy?

- A. AIDS
- B. Diabetes
- C. Lyme disease
- D. Alzheimer's disease

Answer: D

Question: 3

Which of the following cervical nerve roots best corresponds with activation of the triceps muscle?

- A. C5
- B. C6
- C. C7
- D. T2

Answer: C

Question: 4

The upper and middle trunks of the brachial plexus combine to form the _____ cord.

- A. Lateral
- B. Posterior

- C. Medial
- D. Anterior

Answer: A

Question: 5

The upper, middle, and lower trunks of the brachial plexus combine to form the _____ cord.

- A. Lateral
- B. Posterior
- C. Medial
- D. Anterior

Answer: B

Question: 6

The lower trunk of the brachial plexus forms the _____ cord.

- A. Lateral
- B. Posterior
- C. Medial
- D. Anterior

Answer: C

Question: 7

Jerky and sudden random movements are often associated with a _____ lesion.

- A. Midbrain
- B. Basal ganglia
- C. Subthalamic
- D. Thalamus

Answer: B

Question: 8

Which of the following arteries supplies Broca's area?

- A. ACA
- B. MCA
- C. PCA
- D. Lateral striate

Answer: B

Question: 9

Which of the following arteries if ruptured can cause an oculomotor palsy?

- A. ACA
- B. MCA
- C. PCA
- D. Lateral striate

Answer: C

Question: 10

Which of the following is not true concerning Brown-Sequard syndrome?

- A. Contralateral spinothalamic deficits
- B. Ipsilateral spinothalamic deficits
- C. Ipsilateral dorsal column deficits
- D. Ipsilateral pyramidal tract deficits

Answer: B

Question: 11

Which of the following syndromes corresponds to: A failure of neutrophils to generate an immune response and lab values indicate elevated IgE levels?

- A. Job's syndrome
- B. Wiskott-Aldrich syndrome
- C. Carcinoid syndrome
- D. Mallory-Weiss syndrome

Answer: A

Question: 12

Which of the following syndromes corresponds to: right sided valvular disease and diarrhea?

- A. Job's syndrome
- B. Wiskott-Aldrich syndrome
- C. Carcinoid syndrome
- D. Mallory-Weiss syndrome

Answer: C

Question: 13

Which of the following syndromes corresponds to: lab values indicate elevated IgA levels and presence of thrombocytopenia?

- A. Job's syndrome
- B. Wiskott-Aldrich syndrome
- C. Carcinoid syndrome
- D. Mallory-Weiss syndrome

Answer: B

Question: 14

Which of the following syndromes corresponds to: presence of arthritis and commonly found in males?

- A. Reiter's syndrome
- B. Sjogren's syndrome
- C. Kartagener's syndrome
- D. Ehlers-Danlos syndrome

Answer: A

Question: 15

Which of the following syndromes corresponds to: immotile sperm and presence of

reoccurring sinusitis?

- A. Reiter's syndrome
- B. Sjogren's syndrome
- C. Kartagener's syndrome
- D. Ehlers-Danlos syndrome

Answer: C

Question: 16

Which of the following syndromes corresponds to: presence of arthritis, xerophthalmia and commonly found in females?

- A. Reiter's syndrome
- B. Sjogren's syndrome
- C. Kartagener's syndrome
- D. Ehlers-Danlos syndrome

Answer: B

Question: 17

Which of the following syndromes corresponds to: excessive movement occurring at joints and loose skin?

- A. Reiter's syndrome
- B. Sjogren's syndrome
- C. Kartagener's syndrome
- D. Ehlers-Danlos syndrome

Answer: D

Question: 18

Which of the following syndromes corresponds to: hematuria, glomerulonephritis and pulmonary dysfunction?

- A. Brown-Sequard syndrome
- B. Thoracic outlet syndrome
- C. Angelman's syndrome
- D. Goodpasture's syndrome

Answer: D

Question: 19

Which of the following syndromes corresponds to: presence of ipsilateral motor loss and contralateral spinothalamic tract damage?

- A. Brown-Sequard syndrome
- B. Thoracic outlet syndrome
- C. Angelman's syndrome
- D. Goodpasture's syndrome

Answer: A

Question: 20

Which of the following syndromes corresponds to: C8/T1 nerve involvement and weakness in hand muscles?

- A. Brown-Sequard syndrome
- B. Thoracic outlet syndrome
- C. Angelman's syndrome
- D. Goodpasture's syndrome

Answer: B

Question: 21

Which of the following syndromes corresponds to: maternal genetic phenotype syndrome?

- A. Brown-Sequard syndrome
- B. Thoracic outlet syndrome
- C. Angelman's syndrome
- D. Goodpasture's syndrome

Answer: C

Question: 22

Which of the following syndromes corresponds to: Abnormal development of the 3rd and 4th (Pharyngeal pouches)?

- A. Acute coronary syndrome
- B. ARDS
- C. Budd-Chiari syndrome
- D. DiGeorge's syndrome

Answer: D

Question: 23

Which of the following syndromes corresponds to: leads to an increased risk of stroke?

- A. Acute coronary syndrome
- B. ARDS
- C. Budd-Chiari syndrome
- D. DiGeorge's syndrome

Answer: A

Question: 24

Which of the following syndromes corresponds to: abdominal pain, ascites, and hepatic vein occlusions?

- A. Acute coronary syndrome
- B. ARDS
- C. Budd-Chiari syndrome
- D. DiGeorge's syndrome

Answer: C

Question: 25

Which of the following syndromes corresponds to: increased pulmonary permeability and fluid entering the lung space?

- A. Acute coronary syndrome
- B. ARDS
- C. Budd-Chiari syndrome
- D. DiGeorge's syndrome

Answer: B

Question: 26

Which of the following syndromes corresponds to: can be caused by high doses of Tetracyclines?

- A. Dubin-Johnson syndrome
- B. Fanconi's syndrome
- C. Edward's syndrome
- D. Cri-du-chat syndrome

Answer: B

Question: 27

Which of the following syndromes corresponds to: caused by poor liver excretion?

- A. Dubin-Johnson syndrome
- B. Fanconi's syndrome
- C. Edward's syndrome
- D. Cri-du-chat syndrome

Answer: A

Question: 28

Which of the following syndromes corresponds to: chromosomal deficit of #5?

- A. Dubin-Johnson syndrome
- B. Fanconi's syndrome
- C. Edward's syndrome
- D. Cri-du-chat syndrome

Answer: D

Question: 29

Which of the following syndromes corresponds to: chromosomal deficit of #18?

-
- A. Dubin-Johnson syndrome
 - B. Fanconi's syndrome
 - C. Edward's syndrome
 - D. Cri-du-chat syndrome

Answer: C

Question: 30

Which of the following syndromes corresponds to: chromosomal deficit of #13?

- A. Dubin-Johnson syndrome
- B. Patau's syndrome
- C. Edward's syndrome
- D. Down syndrome

Answer: B



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

20% Discount Coupon Code: 20off2019