



# *Blockchain*

*CBSA*

*BTA Certified Blockchain Solution Architect*

## Questions & Answers PDF

**For More Information:**

**<https://www.certswarrior.com/>**

## **Features:**

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

### Question: 1

SHA-1 is the most commonly used SHA algorithm, and produces a \_\_\_\_\_-byte hash value(size).

- A. 256
- B. 128
- C. 32
- D. 20

**Answer: D**

Explanation:

SHA-1 is the most commonly used SHA algorithm, and produces a 20-byte hash value.

### Question: 2

What type of attack would be considered a very large flaw in public blockchains such as Bitcoin's Blockchain where the majority of hashpower could possibly be controlled thru an attack?  
What is the specific attack Bitcoin could be exposed to?

- A. 51% Attacks
- B. Tether Token Hack
- C. DDoS Attack
- D. BIP attack
- E. Parity Wallet Attack

**Answer: A**

### Question: 3

How many satoshis are in 1 bitcoin and how many wei in an Ether? (Select two.)

- A. 1,000,000,000,000,000,000
- B. 1,000,000,000,000,000
- C. 1,000,000,000
- D. 10,000
- E. 1,000,000,000,000

**Answer: A,B**

### Question: 4

---

In the Proof of Stake(POS) algorithm the miners are really known as \_\_\_\_\_?

- A. Notary
- B. Oracle
- C. Forgers
- D. Minters

**Answer: C**

Explanation:

Proof of Stake has the same goal as proof of work—to validate transactions and achieve consensus in the chain—and it uses an algorithm but with a different process. With proof of stake, the creator of a new block “is chosen in a deterministic way, depending on its wealth, also defined as a stake.” Since in a proof

of stake system, there is no block reward, but the miners, known as forgers, get the transaction fees. Proponents of this shift, including Ethereum co-founder Buterin, like proof of stake for the energy and cost savings realized to get to a distributed form of consensus.

### Question: 5

A Byzantine failure is the loss of a system service due to a Byzantine fault in systems that requires\_\_\_\_\_.

What is required?

- A. Consensus
- B. Cryptography
- C. Bandwidth
- D. Availability

**Answer: A**

Explanation:

A Byzantine failure is the loss of a system service due to a Byzantine fault in systems that require consensus.

### Question: 6

A \_\_\_\_\_cipher basically means it is using a fixed key which replaces the message with a pseudorandom string of characters. It is basically the encryption of each letter one at a time.

What is the cipher type?

- A. Stream
- B. Block
- C. Parallel

D. RSA

**Answer: A**

Explanation:

Stream cipher basically means using a fixed key which replaces the message with a pseudorandom string of characters. It is basically the encryption of each letter one at a time.

### Question: 7

You currently using the Metamask Chrome plugin and you see a selection for Etherscan in the plugin. What is Etherscan used for?

- A. A search engine that allows users to easily lookup, confirm and validate transaction that have taken place on the Ethereum Blockchain
- B. A search engine that allows users to easily lookup, confirm and validate transaction that have taken place on the Bitcoin Blockchain
- C. A search engine that allows users to easily lookup, confirm and validate transaction that have taken place on the Ethereum and Tokens Blockchain
- D. A search engine that allows users to easily lookup, confirm and validate transaction that have taken place on any Blockchain

**Answer: A**

Explanation:

A search engine that allows users to easily lookup, confirm and validate transactions that have taken place on the Ethereum Blockchain

### Question: 8

What are two challenges with using a Proof of Work algorithm? (Select two.)

- A. Mining pools not allowed
- B. Difficulty rate goes down every year.
- C. Expensive
- D. Power Intensive

**Answer: C,D**

### Question: 9

Your customer is an enterprise that is focused on financial sectors.

What type of blockchain would this customer likely want specified for their enterprise?

- A. Permissionless
- B. Decentralized
- C. Hybrid
- D. Permissioned

**Answer: D**

Explanation:

Sometimes referred to as “private” blockchains, you are required to have some sort of permission to access any or parts of that blockchain. There are a multitude of variants and hybrid permissioned/permissionless blockchains that exist.

### Question: 10

Which of the following is the metaphor that describes a logical dilemma that plagues many computer networks?

- A. Neo Generals’ problem
- B. Byzantine Generals’ problem
- C. Byzantine Admirals’ problem
- D. Renaissance Generals’ problem

**Answer: B**

Explanation:

BFT is so-named because it represents a solution to the "Byzantine generals' problem," a logical dilemma that researchers Leslie Lamport, Robert Shostak and Marshall Pease described in an academic paper published in 1982



# CERTSWARRIOR

## FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<http://www.certswarrior.com>**

Discount Coupon Code:

**CERTSWARRIOR10**

We Accept

**PayPal**