



CERTSWARRIOR

Huawei

H35-561

HCNP - LTE RNP & RNO

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

Which of the following events can be used to trigger inter-frequency switching? (multiple choice)

- A. A2
- B. A3
- C. A4
- D. A5

Answer: B, C, D

Question: 2

How many types of TDD uplink and downlink subframe configurations are there?

- A. 3
- B. 5
- C. 7
- D. 9

Answer: C

Question: 3

When X2 handover cannot be performed between eNodeBs, S1 handover is performed.

- A. True
- B. False

Answer: A

Question: 4

How many configurations are there for R8 TDD special subframe configuration?

- A. 3

- B. 5
- C. 7
- D. 9

Answer: D

Question: 5

In which of the following messages will the tracking area information be sent to the MME for consistency check?

- A. S1AP: E-RAB setup request
- B. RRC: RRC connection request
- C. S1AP: Initil context setup request
- D. S1AP: S1 setup request

Answer: D



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ