



# *Huawei*

*H12-411\_V2.0*  
*HCIA-Data Center Facility V2.0*

## Questions & Answers PDF

**For More Information:**  
**<https://www.certswarrior.com/>**

## **Features:**

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24/7 Online Chat Support
- Its Latest Version

---

# Latest Version: 6.0

## Question: 1

Huawei monitoring system ECC800 The collector can be inserted at most \_\_\_\_\_ A power supply module.

**Answer: 2**

## Question: 2

In the dynamic environment monitoring system, \_\_\_\_\_ is used to indicate the severity of the corresponding fault.

**Answer: alarm level**

## Question: 3

ATS The dual power supply automatic switch can realize the fast mechanical switching of the two power supplies.

- A. True
- B. False

**Answer: A**

## Question: 4

In the access control system interface, the functions that can be realized are \_\_\_\_\_ .

**Answer: ABCD**

## Question: 5

The following are air-cooled row-level air conditioners \_\_\_\_\_ .

---

**Answer: Netcol5000-A**



# CERTSWARRIOR

## FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<http://www.certswarrior.com>**

Discount Coupon Code:

**CERTSWARRIOR10**

We Accept

**PayPal**