



CERTSWARRIOR

UiPath

UiPath-ARDv1

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 9.0

Question: 1

A developer plans to create a process to automate a web application. The web application requires HTML buttons and text boxes to be loaded. Although some assets may still be loading, the robot should perform the UI actions once the buttons and text boxes are loaded.

Which property should be configured?

- A. TimeoutMS = 10000
- B. WaitForReady = Complete
- C. TimeoutMS = Int32.MaxValue
- D. WaitForReady = Interactive


Answer: D

Explanation:

Reference: <https://docs.uipath.com/activities/docs/ui-element-exists>

Question: 2

A developer reviewed the following sequence:



The parameters of the Invoke Method are:

Parameters

Direction	Type	Value
In	DataTable	DataTable
<i>Create Argument</i>		

OK Cancel

Properties

System.Activities.Statements.InvokeMethod

Common

DisplayName	Invoke Method
-------------	---------------

Misc

GenericTypeArguments	(Collection) ...
MethodName	Add
Parameters	(Collection) ...
Private	<input type="checkbox"/>
Result	<i>Enter a VB expression</i> ...
RunAsynchronously	<input type="checkbox"/>
TargetObject	DataSet.Tables ...
TargetType	(null) ▼

In order to get the table name of the first element in the DataSet, which expressions should the developer use?

- A. DataSet.Tables(0).TableName
- B. DataSet.Tables(1).TableName
- C. DataSet.Rows(0).TableName
- D. DataSet.Rows(1).TableName

Answer: C

Question: 3

A developer was reviewing an Orchestration process whose "main" attribute is set to Main.xaml in project.json.

However, the process is not pausing as intended. What is a possible cause for this issue?

- A. UI activities were not used in the process.
- B. "Wait for Form Task and Resume" activity was called in Main.xaml.
- C. Process created a task in the Orchestrator.
- D. "Wait for Form Task and Resume" activity was called in GetApproval.xaml.

Answer: A

Question: 4

A developer needs to automate a process which involves capturing support ticket numbers from the email subject line. For example, the email subject line includes: "Action Required – XA/135" where "XA/135" is the ticket number. The robot should validate the pattern of the ticket number before proceeding.

Which expression exclusively matches the ticket number pattern from the subject line?

A.	RegEx	Value	Quantifiers
	Anything	.	Any (0 or more) *
	Literal	/	Exactly 1
	Digit	\d	Exactly 3

B.	RegEx	Value	Quantifiers
	One of	[A-Z]\d	Any (0 or more) *

C.	RegEx	Value	Quantifiers
	Digit	\d	Exactly 3
	Literal	/	Exactly 1
	Any word character	\w	Exactly 2

D.	RegEx	Value	Quantifiers
	Any word character	\w	Exactly 2
	Literal	/	Exactly 1
	Digit	\d	Exactly 3

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

Question: 5

A developer uses Workflow Analyzer with the default rules to check if a project follows best practices. In one of the workflows, the Properties of a Click activity is shown in the following exhibit.

Properties

UiPath.Core.Activities.Click

Common

ContinueOnError	Specifies to continue execution on error	<input checked="" type="checkbox"/>	...
DelayAfter		3000	...
DelayBefore	Delay time (in milliseconds)		...
Display Name	Click Calculator button		

Input

ClickType	ClickType.CLICK_SINGLE	...
MouseButton	MouseButton.BTN_LEFT	...

Target

Target	Target
--------	--------

Misc

Private	<input type="checkbox"/>
---------	--------------------------

Options

AlterIfDisabled	If selected, the simulated click will be performed even if the target is disabled	<input checked="" type="checkbox"/>	...
CursorPosition	CursorPosition		
KeyModifiers	KeyModifiers.None	▼	...
SendWindowMessages	If selected, the click is executed by sending window messages	<input checked="" type="checkbox"/>	...
SimulateClick	True	✓	...

Which warning will be shown in the Analyzer output for this activity?

- A. Timeout values is not defined in activity Click Calculator button
- B. Hardcoded delays used in activity Click Calculator button
- C. Activity Click Calculator button has a default name
- D. SendWindowMessages not checked in activity Click Calculator button

Answer: C



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ