



CERTSWARRIOR

SAS Institute

A00-420

SAS Viya Intermediate Programming

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

Which statement about the CASL language is true?

Response:

- A. All CAS-enabled procedures are converted to CASL behind the scenes to run in CAS.
- B. CASL runs actions on both the SAS Compute Server and in CAS.
- C. Actions in CASL are grouped into PROCs, and optional information is provided with parameters.
- D. CASL code is submitted to the CAS server using PROC CASUTIL.

Answer:

Question: 2

Which programming language is primarily used in the DATA step for CAS programming?

Response:

- A. Python
- B. R
- C. Java
- D. SAS

Answer:

Question: 3

Which procedure can run in CAS?

Response:

- A. PROC SQL
- B. PROC GCHART
- C. PROC SGRENDER
- D. PROC MEANS

Answer:

Question: 4

What does CAS stand for in CAS language programming?

Response:

- A. Centralized Analytical System
- B. Cloud Analytic Services
- C. Clustered Analytical Server
- D. Computerized Analytical Software

Answer:

Question: 5

Assume all caslib names follow libref naming conventions. Which code assigns librefs of the same name to each caslib?

Response:

- A. caslib _all_ assign;
- B. caslib assign _all_;
- C. caslib libref assign;
- D. caslib assign libref;

Answer:

Question: 6

The dataPreprocess.impute action performs data matrix (variable) imputation. Which imputation methods can be used?

Response:

- A. MIDRANGE, MODE, RANDOM, VALUE
- B. MIDRANGE, MODE, RANDOM, CUSTOM
- C. MODE, RANDOM, VALUE, CUSTOM
- D. MIDRANGE, RANDOM, VALUE, CUSTOM

Answer:

Question: 7

Given the following SAS program?

```
caslib _all_ assign;  
proc sgplot data=casuser.cars;
```

vbar Make;
run;
What will the program do?
Response:

- A. Produce an error because the SGPLOT procedure cannot access the CAS table.
- B. Execute the SGPLOT procedure on the CAS server.
- C. Summarize the results in CAS and process the summarized results on the Compute Server.
- D. Transfer the data to the Compute Server and then execute the SGPLOT procedure.

Answer:

Question: 8

Which PROC CASUTIL step suppresses error messages if the table is not found in-memory?

- A.

```
proc casutil;  
    droptable casdata="class" incaslib="casuser" quiet;  
quit;
```
- B.

```
proc casutil quiet;  
    droptable casdata="class" incaslib="casuser";  
quit;
```
- C.

```
proc casutil;  
    droptable casdata="class" incaslib="casuser" force;  
quit;
```
- D.

```
proc casutil force;  
    droptable casdata="class" incaslib="casuser";  
quit;
```

Response:

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer:

Question: 9

When creating SAS graphs on extremely large CAS tables, the best practice is to:

Response:

- A. Summarize the data in CAS and work with the output on the Compute Server.
- B. Execute graph actions on the CAS tables.
- C. Use the SGPLOT procedure on the CAS table.
- D. Enable multi-threading on the CAS server.

Answer:

Question: 10

You want to use the MEANS procedure to summarize data using the CAS server. Which statement is true?

Response:

- A. Statistics that are supported by PROC MEANS are also supported on the CAS server.
- B. You must specify a CAS engine libref with the input table name.
- C. You must sort the data before using BY-group processing on the CAS server.
- D. All PROC MEANS statements are supported for CAS processing.

Answer: B



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ