



CERTSWARRIOR

SAP C_ABAPD_2309

**SAP Certified Associate – Back-End Developer - ABAP
Cloud**

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.1

Question: 1

Given the following code,

```
DATA gv_text1 TYPE string. "#EC_NEEDED  
DATA gv_text2 TYPE string ##NEEDED.
```

What are valid statements? Note: There are 2 correct answers to this question.

- A. ##NEEDED is checked by the syntax checker.
- B. The program is not checked by the syntax checker.
- C. The pseudo-comment is checked by the syntax checker
- D. #EC_NEEDED is not checked by the syntax checker.

Answer: A,D

Question: 2

What are some of the reasons that Core Data Services are preferable to the classical approach to data modeling? Note: There are 2 correct answers to this question.

- A. They transfer computational results to the application server.
- B. They avoid data transfer completely.
- C. They implement code pushdown.
- D. They compute results on the application server.

Answer: A,C

Question: 3

In the following ABAP SQL code, what are valid case distinctions?

Note: There are 2 correct answers to this question.

- A.

```
SELECT FROM dbtab1 FIELDS F1,  
CASE  
WHEN F2 = '1' THEN 'Value 1'  
WHEN f2'2' THEN 'Value 2' ELSE "Value for the rest"  
END AS f case  
INTO TABLE @et t1.
```

B.

```
SELECT FROM dbtab1  
FIELDS F1,  
CASE f2,  
WHEN '1' THEN 'Value 1',  
WHEN '2' THEN 'Value 2',  
WHEN OTHERS "Value for the rest",  
ENDCASE AS f_case  
INTO TABLE @gt t1.
```

C.

```
SELECT FROM dbtab1 FIELDS F1,  
CASE  
WHEN F2 = '1' THEN "Value 1"  
WHEN f2 < f3 AND f2 = '2' THEN "Value 2"  
WHEN OTHERS 'Value for the rest'  
ENDCASE AS f_case  
INTO TABLE @gt t1.
```

D.

```
SELECT FROM dbtab1  
FIELDS f1,  
CASE f2  
WHEN '1' THEN 'Value 1'  
WHEN '2' THEN 'Value 2'  
ELSE "Value for the rest"  
END AS f_case  
INTO TABLE @gt_t1.
```

Answer: A,D

Question: 4

Which of the following is a generic internal table type?

- A. STANDARD TABLE
- B. HASHED TABLE
- C. SORTED TABLE
- D. INDEX TABLE

Answer: D

Question: 5

Which of the following actions cause an indirect change to a database table requiring a table conversion? Note: There are 2 correct answers to this question.

- A. Deleting a field from a structure that is included in the table definition.
- B. Shortening the length of a domain used in a data element that is used in the table definition.
- C. Changing the field labels of a data element that is used in the table definition.
- D. Renaming a field in a structure that is included in the table definition

Answer: A,B

Question: 6

Given the following Core Data Services View Entity Data Definition:

```
1 @AccessControl.authorizationCheck: #NOT_REQUIRED
2 ?
3 DEFINE VIEW ENTITY demo_sales_cds so ve simple
4 AS SELECT FROM demo_sales_order AS SalesOrder
5 {
6     KEY so_key,
7         buyer_id AS BuyerID,
8         currency_sum AS currencySum
9 }
```

You want to provide a short description of the data definition for developers that will be attached to the database view Which of the following annotations would do this if you inserted it on line # 27

- A. @UI headerinto description label
- B. @EndUser Text label
- C. @EndUserText.quickInfo
- D. @UI.badge.title.label

Answer: B

Question: 7

In which products must you use the ABAP Cloud Development Model? Note: There are 2 correct answers to this question.

- A. SAP S/4HANA Cloud, public edition

- B. SAP S/4HANA on premise
- C. SAP S/4HANA Cloud, private edition
- D. SAP BTP, ABAP environment

Answer: A,D

Question: 8

Given the following Core Data Services View Entity Data Definition, Which of the following types are permitted to be used for <source> on line #4? Note: There are 2 correct answers to this question.

```
1 @AccessControl.authorizationCheck: #NOT_REQUIRED
2 DEFINE VIEW ENTITY demo_cds_data_source_matrix
3 AS SELECT FROM
4 <source>
5 {
6     KEY field_1,
7     field_2,
8     field_3
9 }
```

- A. A CDS DDIC-based view
- B. A database table from the ABAP Dictionary
- C. An external view from the ABAP Dictionary
- D. A database view from the ABAP Dictionary

Answer: A,B

Question: 9

Class super has subclass sub. Which rules are valid for the sub constructor?

Note: There are 2 correct answers to this question.

- A. Events of your own instance cannot be raised before the registration of a handler in super.
- B. The constructor of super must be called before using any components of your own instance.
- C. The method signature can be changed.
- D. Import parameters can only be evaluated after calling the constructor of super.

Answer: B,C

Question: 10

/DMO/I_Connection is a CDS view.

What variable type is connection full based on the following code?

DATA connection full TYPE /DMD/I_Connection.

- A. Simple variable
- B. Structure
- C. Internal table

Answer: B



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ