



CERTSWARRIOR

C Institute

CPA-21-02

CPA - C++ Certified Associate Programmer Exam

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

What will the variable "age" be in class B?

```
class A {  
    int x;  
    protected:  
    int y;  
    public:  
    int age;  
    A () { age=5; };  
};  
class B : public A {  
    string name;  
    public:  
    B () { name="Bob"; };  
    void Print() {  
        cout << name << age;  
    }  
};
```

- A. public
- B. private
- C. protected
- D. None of these

Answer: A

Question: 2

What happens when you attempt to compile and run the following code?

```
#include <iostream>  
#include <string>  
using namespace std;  
class complex{  
    double re, im;  
    public:  
    complex() : re(1),im(0.4) {}  
    complex operator?(complex &t);  
    void Print() { cout << re << " " << im; }  
};  
complex complex::operator? (complex &t){
```

```

complex temp;
temp.re = this?>re ? t.re;
temp.im = this?>im ? t.im;
return temp;
}
int main(){
complex c1,c2,c3;
c3 = c1 ? c2;
c3.Print();
}

```

- A. It prints: 1 0.4
- B. It prints: 2 0.8
- C. It prints: 0 0
- D. It prints: 1 0.8

Answer: C

Question: 3

What happens when you attempt to compile and run the following code?

```

#include <iostream>
using namespace std;
class complex{
double re;
double im;
public:
complex() : re(0),im(0) {}
complex(double x) { re=x,im=x;};
complex(double x,double y) { re=x,im=y;}
void print() { cout << re << " " << im;}
};
int main(){
complex c1;
c1 = 3.0;
c1.print();
return 0;
}

```

- A. It prints: 0 0
- B. It prints: 1 1
- C. It prints: 3 3
- D. Compilation error

Answer: C

Question: 4

What happens when you attempt to compile and run the following code?

```
#include <iostream>
using namespace std;
void fun(int);
int main()
{
    int a=0;
    fun(a);
    return 0;
}
void fun(int n)
{
    if(n < 2)
    {
        fun(++n);
        cout << n;
    }
}
```

- A. It prints: 21
- B. It prints: 012
- C. It prints: 0
- D. None of these

Answer: A

Question: 5

What happens when you attempt to compile and run the following code?

```
#include <iostream>
using namespace std;
int s(int n);
int main()
{
    int a;
    a = 3;
    cout << s(a);
    return 0;
}
int s(int n)
{
```

```
if(n == 0) return 1;  
return s(n?1)*n;  
}
```

- A. It prints: 4
- B. It prints: 6
- C. It prints: 3
- D. It prints: 0

Answer: B



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ