



CERTSWARRIOR

# Nokia

## 4A0-107

### Nokia Quality of Service

[Questions&AnswersPDF](#)

**ForMoreInformation:**

<https://www.certswarrior.com/>

## Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

# Latest Version: 13.0

## Question: 1

The IP ToS field consists of \_\_\_\_\_ bits, of which \_\_\_\_\_ are used. The \_\_\_\_\_ most significant (first) bits define precedence.

- A. 8, 6, 3
- B. 8, 8, 6
- C. 16, 8, 4
- D. 8, 6, 4
- E. 24, 16, 8

**Answer: A**

## Question: 2

Which of the following are examples of metrics for QoS?

- A. Signal degradation, attenuation, line loss
- B. Latency, FIFO, WRED
- C. Delay, jitter, packet loss
- D. SNR, queue depth, latency
- E. Attenuation, dispersion, latency

**Answer: C**

## Question: 3

What is the 6-bit binary representation of DSCP value AF21?

- A. 010011
- B. 100010
- C. 010001
- D. 001100
- E. 010010

**Answer: E**

## Question: 4

Which of the following statements regarding DSCP bits are TRUE? (Choose three)

- A. The three most significant (first) bits define 8 forwarding classes.
- B. The three least significant (last) bits of the DSCP specify the drop probability.
- C. The full 8 bits of the TOS field are used for DSCP.
- D. To convert DSCP to IP precedence, the three most significant (first) bits are matched.
- E. DSCP provides for eight drop probabilities.

**Answer: A,B,D**

## Question: 5

Which of the following can be used as classifiers of customer traffic? (Choose three)

- A. DSCP value
- B. 802.1p value
- C. IP DF bit
- D. TCP/UDP port numbers
- E. HTML version number

**Answer: A,B,D**



CERTSWARRIOR

**FULL PRODUCT INCLUDES:**

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**