



CERTSWARRIOR

TEACHING CBASE-Science

CBASE Science Certification Exam

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

Taxonomy is what?

- A. The preservation of living things.
- B. Classification of organisms.
- C. The ability of an organism to evolve.
- D. The study of an organisms fossil record.

Answer: B

Explanation:

Taxonomy is the branch of biology concerned with the classification of organisms. It involves the identification, naming, and grouping of organisms into a coherent system. The main goal of taxonomy is to understand the relationships among different groups of organisms and to provide clarity in naming species, which is essential for accurate communication in science and conservation.

The Swedish botanist Carl Linnaeus is often credited as the father of modern taxonomy. In the mid-18th century, Linnaeus introduced a systematic framework for naming organisms using a binomial nomenclature system. This system uses two names (genus and species) to describe each species, creating a standardized format that can be universally applied. For example, the scientific name for humans is *Homo sapiens*, where "Homo" represents the genus and "sapiens" indicates the species. In addition to naming species, taxonomy also involves organizing species into broader groupings such as families, orders, classes, phyla, and kingdoms. This hierarchical classification helps scientists understand evolutionary relationships and the history of life on Earth. It provides a structured way to study the diversity of life and trace the lineage of organisms through their evolutionary past.

While taxonomy primarily focuses on the classification and naming of organisms, it is distinct from other fields of biology that may overlap in studying organisms. For example, taxonomy is not primarily concerned with the preservation of living things as in conservation biology, nor does it focus on the evolutionary adaptability of organisms like evolutionary biology. Similarly, while paleontology involves the study of fossils, taxonomy uses living and recently extinct organisms to classify and name species. Overall, the discipline of taxonomy is foundational to biological sciences because it provides the systems and rules for organizing the diversity of life. This classification is crucial for all other biological sciences, allowing researchers to communicate about species and their relationships with precision and clarity.

Question: 2

What additional factor do vectors quantities have to cause them to be different from scalar quantities?

- A. Magnitude
- B. Direction
- C. Symbol notation
- D. Both (b) and (c)

Answer: D

Explanation:

To distinguish between vector quantities and scalar quantities, it is essential to understand the additional factor that vectors possess. This additional factor is direction.

Vector quantities are defined by both their magnitude and direction. For example, when considering the vector quantity of force, it is not enough to state how strong the force is (magnitude); one must also specify the direction in which the force is applied. This directional component is what differentiates vector quantities from scalar quantities. Common examples of vector quantities include velocity, acceleration, force, and displacement.


Scalar quantities, on the other hand, are fully described by their magnitude alone, with no direction associated with them. Scalars include quantities such as temperature, mass, energy, and speed. These quantities provide a measure of how much there is of something, but they do not provide information about the direction in which it acts or moves.

In mathematical and physical representations, vectors are often depicted using arrows. The length of the arrow indicates the magnitude of the vector, while the direction of the arrow indicates the direction of the vector. This symbolic notation (often an arrow above a letter or a bolded letter) helps visually convey the vector nature of a quantity.

Thus, when comparing vectors and scalars, the key difference lies in the fact that vectors include both magnitude and direction, whereas scalars are described by magnitude alone. This distinction is crucial in many fields of science and engineering, where directional attributes play a significant role in understanding and describing phenomena.

Question: 3

This is a diagram of a reptile egg. What structure is letter E?



- A. Amnion.
- B. Yolk sac.
- C. Albumin.
- D. Allantois.

Answer: B

Explanation:

In the context of the reptile egg structure, the component identified as letter E is the yolk sac. The yolk sac is crucial for providing the necessary nutrients to the developing embryo. It is essentially a sac filled with yolk, which contains the food material required for the embryo's growth and development. This component is directly connected to the reptile embryo and serves as its primary source of nutrition during the early stages of development.

The allantois, another essential structure within the egg, is linked to the yolk sac and the embryo. It plays a critical role in facilitating the exchange of gases, such as oxygen and carbon dioxide, between the embryo and the outside environment. Additionally, the allantois helps in the removal of metabolic wastes produced by the embryo. This function is vital for maintaining a healthy internal environment suitable for the embryo's development.

As the embryo matures, it progressively absorbs the nutrients from the yolk sac. This absorption process leads to a decrease in the size of the yolk sac over time. By the time the embryo is ready to hatch, the yolk sac is typically almost entirely consumed, having fulfilled its role of nourishing the embryo through the earlier stages of its development. This reduction in the yolk sac's size is a natural and expected occurrence as the embryo uses up the stored nutrients to grow and develop within the protective confines of the egg.

In summary, the yolk sac is indispensable for the survival and proper development of the reptile embryo, providing essential nutrients and contributing to the overall functioning of the life support system within the egg. The interconnected roles of the yolk sac and the allantois ensure that the embryo has a constant supply of food and oxygen while also managing waste, creating a balanced developmental environment.

Question: 4

What does the name "streptococcus" indicate about the shape of this bacteria?

- A. It is spiral in shape.
- B. It is an elongated shape.
- C. It has multiple spheres in a chain.
- D. It has a flagellum.

Answer: C

Explanation:

The name "streptococcus" reveals specific information about the morphology and arrangement of this type of bacteria. Breaking down the name into its components helps in understanding its descriptive nature in microbiological nomenclature. "Strepto" means twisted or chains, and "coccus" refers to a spherical shape. Therefore, "streptococcus" indicates that the bacteria are spherical in shape and arranged in a chain-like pattern.

This naming convention is a part of a broader system used to categorize and describe bacteria based on their shapes and the configurations they form. There are three primary shapes of bacteria: cocci (spherical), bacilli (rod-shaped), and spirilla (spiral-shaped). Within these shapes, the arrangements can vary, leading to further classification. For example, staphylococci are spherical bacteria that form cluster

arrangements resembling bunches of grapes, which is reflected in the prefix "staphylo-" meaning bunch or cluster.

In the case of streptococcus, the arrangement in chains is significant because it affects how the bacteria interact with their environment and host, influencing factors like infection spread and immune evasion. The chain formation can be observed under a microscope after gram staining, which is a common method used in microbiology to identify and differentiate bacterial species.

Understanding these terms is not only crucial for microbiologists but also for medical professionals who encounter infections caused by various strains of streptococcus. These bacteria are responsible for many human diseases, ranging from mild throat infections to severe diseases like rheumatic fever. Identifying the bacterial shape and arrangement helps in diagnosing the specific type of infection and deciding on an appropriate treatment plan.

Thus, the name "streptococcus" embodies both the form (spherical) and the pattern (chains) of the bacteria, providing essential clues about its biological characteristics and implications for human health.

Question: 5

You are using a scalpel blade to dissect a shark. Which of the following methods is the best way for disposing of the blade when you are finished?

- A. Carefully wrapping it in a paper towel, and throwing it in the trash.
- B. Putting in into a biohazard bag.
- C. Mixing it with broken glass in the trash so that the janitorial staff will clearly see its danger.
- D. Using a plastic "sharps" container.

Answer: D

Explanation:

The best method for disposing of a used scalpel blade after dissecting a shark is to place it in a plastic "sharps" container. Here's why:

Scalpel blades are extremely sharp and can easily cause injuries if not handled properly. Disposing of these blades in regular trash bags poses a risk to anyone who handles the waste, such as janitorial staff or waste workers, who may accidentally come into contact with the sharp edges and sustain cuts or punctures.

Sharps containers are specifically designed to safely contain and dispose of medical sharps, such as needles, syringes, and scalpel blades. These containers are usually made from a hard, puncture-resistant plastic to prevent the sharps from escaping and causing injury. The containers are also typically equipped with a one-way safety feature that prevents the contents from spilling out once they are inside.

Furthermore, proper disposal into a "sharps" container helps in maintaining a sanitary environment by isolating potentially contaminated tools from other types of waste. This is particularly important in settings where the risk of infection from biological materials is high, such as in medical facilities or laboratories.

It is important to note that sharps containers should be properly labeled with biohazard markings to indicate the presence of potentially hazardous material. These containers are then handled according to specific regulations for biohazardous waste, ensuring they are disposed of in a manner that minimizes the risk of exposure to infectious agents.

Alternative methods such as wrapping the blade in a paper towel and throwing it in the trash, placing it in a biohazard bag, or mixing it with broken glass in the trash are all inadequate and unsafe. These methods do not provide the necessary protection against injuries or contamination and fail to comply with proper waste disposal protocols.

Using a designated sharps container is not only the safest option but also a regulatory requirement in many jurisdictions for the disposal of sharp medical instruments. This practice protects not only those who handle medical waste but also the wider community from potential harm.

Question: 6

What is a carrier?

- A. A heterozygous recessive individual with two alleles for a genetic disorder.
- B. A homozygous dominant individual with two genes that are expressed as a genetic disorder.
- C. An individual expressing a phenotypic disorder.
- D. A heterozygous individual.

Answer: D

Explanation:

A carrier in genetics is an individual who possesses a recessive allele for a genetic disorder but does not exhibit symptoms of the disorder. This is because the individual has only one copy of the recessive allele and one copy of a normal dominant allele. The presence of the dominant allele masks the effects of the recessive allele in the phenotype of the individual, making them appear normal or unaffected.

Carriers are crucial in the study of genetics because they can pass the recessive allele to their offspring. When two carriers of the same recessive allele have children, there is a possibility that their children could inherit two copies of the recessive allele, one from each parent. If this occurs, the child will express the genetic disorder. Specifically, there is a 25% chance that the child will inherit both recessive alleles (one from each parent), a 50% chance that the child will also be a carrier (inheriting one recessive and one dominant allele), and a 25% chance that the child will inherit two dominant alleles, resulting in not being a carrier or affected by the disorder.

Understanding who is a carrier is important for genetic counseling, particularly for couples planning to have children. Genetic counseling can provide information and guidance on the risks of passing on genetic disorders to future generations. Tests are often available to determine whether an individual is a carrier of certain genetic traits, particularly if there is a known history of a genetic disorder in the family. In summary, a carrier is a heterozygous individual who has one normal dominant allele and one recessive allele that can cause a disorder if present in a homozygous recessive state. Carriers do not show symptoms of the disorder but have the potential to pass the recessive allele to their offspring, which can lead to the expression of the disorder if the other parent also contributes a recessive allele.

Question: 7

What is the force constant for simple harmonic motion (SHM)?

- A. N
- B. Nm-1

- C. Nm
- D. None of the above

Answer: B

Explanation:

The force constant in the context of simple harmonic motion (SHM) is a measure of the stiffness of the spring or the system undergoing the motion. It is denoted by the symbol 'k' and is a fundamental parameter in the equations that describe SHM. The force constant determines how much force is needed to stretch or compress the spring by a certain amount.

In the formula $F = kx$, 'F' represents the force exerted by the spring, 'x' is the displacement of the spring from its equilibrium position, and 'k' is the force constant. The units of 'k' are derived from the equation itself: since force (F) is measured in newtons (N) and displacement (x) in meters (m), the force constant 'k' must have units of newtons per meter (N/m), which can also be expressed as Nm^{-1} . This unit describes the force exerted per unit of displacement.

The equation $F = kx$ is derived from Hooke's Law, which states that the force exerted by a spring is directly proportional to the amount of displacement caused by the force. The proportionality constant in this relationship is the force constant 'k'. The greater the value of 'k', the stiffer the spring, meaning more force is required to produce the same displacement compared to a spring with a lower force constant.

In the context of the provided question options, the correct unit for the force constant in simple harmonic motion is Nm^{-1} . This unit signifies that the force constant is measured as the amount of force per unit displacement, which aligns with the fundamental principles of Hooke's Law and SHM. Thus, the answer to the question is Nm^{-1} .

Question: 8

In the environment, nitrogen exists in all of the following inorganic forms EXCEPT:

- A. Nitrogen gas
- B. Amino acids
- C. Ammonia
- D. Nitrates

Answer: B

Explanation:

In considering the forms of nitrogen found in the environment, it's important to distinguish between organic and inorganic sources. Nitrogen, a vital element for life on Earth, exists in various forms which can be broadly categorized into these two types. Inorganic forms of nitrogen typically include nitrogen gas (N_2), ammonia (NH_3), nitrites (NO_2^-), and nitrates (NO_3^-). These forms are often found in the atmosphere, soil, and water and are utilized by plants and microorganisms in their basic chemical processes.

Nitrogen gas (N_2), which makes up about 78% of the Earth's atmosphere, is an inorganic form of nitrogen. It is relatively inert due to the strong triple bond between the two nitrogen atoms, making it

less reactive and unavailable directly to most living organisms. Specific bacteria, however, can convert this atmospheric nitrogen into usable forms through a process called nitrogen fixation.

Ammonia (NH₃), another inorganic form of nitrogen, is a compound of nitrogen and hydrogen. It is a crucial intermediate in the nitrogen cycle and can be used directly by plants. Ammonia is produced naturally through the decomposition of organic matter and also through industrial processes.

Nitrates (NO₃⁻) are yet another inorganic form of nitrogen. They are produced from ammonia by a two-step process involving bacteria that oxidize ammonia to nitrites and then to nitrates. Plants commonly absorb nitrates from the soil to synthesize organic molecules like amino acids.

On the contrary, amino acids, which are the building blocks of proteins, represent an organic form of nitrogen. These compounds contain nitrogen, but they are structurally complex and are formed through biological processes within living organisms. Proteins composed of amino acids are crucial for the structure and function of all living cells.

Therefore, when asked about the inorganic forms of nitrogen in the environment, amino acids do not fit the category. They are, instead, one of the key organic forms that incorporate nitrogen into the life processes of virtually all organisms. Thus, the correct answer to the query is amino acids, as they do not constitute an inorganic form of nitrogen but are indeed an essential organic form present in the biosphere.

Question: 9

A mixture with 16 gm of Methane and 15 gm of Ethane is burned in a bomb calorimeter, containing 5 Kg of water. The temperature of water was raised by 80 oC. If the molar heat of Methane is 891 kJ mol⁻¹, what is the molar heat of Ethane? (Cp of H₂O = 4180 J Kg⁻¹ oC⁻¹)

- A. 1782 kJ mol⁻¹
- B. 1672 kJ mol⁻¹
- C. 1562 J mol⁻¹
- D. 1562 kJ mol⁻¹

Answer: D

Explanation:

To solve this problem, we start by calculating the number of moles of methane and ethane in the mixture. The molecular weight of methane (CH₄) is approximately 16 g/mol, and the molecular weight of ethane (C₂H₆) is approximately 30 g/mol. Given that the mixture contains 16 g of methane and 15 g of ethane, the number of moles of methane (n_1) is $\frac{16 \text{ g}}{16 \text{ g/mol}} = 1 \text{ mole}$ and the number of moles of ethane (n_2) is $\frac{15 \text{ g}}{30 \text{ g/mol}} = 0.5 \text{ mole}$.

Next, we consider the principle of calorimetry, which states that the heat lost by the system should equal the heat gained by the surroundings. In this scenario, the system (methane and ethane) loses heat by combusting, and the surroundings (the water in the bomb calorimeter) gain heat, thereby increasing in temperature.

The heat gained by the water can be calculated using the formula $Q = mc\Delta T$, where m is the mass of the water, c is the specific heat capacity of water, and ΔT is the change in temperature. Here, $m = 5000 \text{ g} = 5 \text{ kg}$, $c = 4180 \text{ J/kg}^\circ\text{C}$, and $\Delta T = 80^\circ\text{C}$. Thus,

$$Q = 5 \text{ kg} \times 4180 \text{ J/kg}^\circ\text{C} \times 80^\circ\text{C} = 1672000 \text{ J} = 1672 \text{ kJ}.$$

This is the heat gained by the water, and it must be equal to the total heat released by the combustion of methane and ethane.

The heat released by the combustion of methane is known (molar heat of combustion), so it can be calculated as $Q_1 = n_1 \times CP_1 = 1 \text{ mole} \times 891 \text{ kJ/mol} = 891 \text{ kJ}$. The heat released by the combustion of ethane (Q_2) can then be calculated using the principle of calorimetry:

$$\begin{aligned} Q_1 + Q_2 &= Q, \\ 891 \text{ kJ} + Q_2 &= 1672 \text{ kJ}. \end{aligned}$$

Solving for Q_2 gives $Q_2 = 1672 \text{ kJ} - 891 \text{ kJ} = 781 \text{ kJ}$.

Finally, to find the molar heat of combustion of ethane (CP_2), we use the number of moles of ethane and the heat released:

$$CP_2 = \frac{Q_2}{n_2} = \frac{781 \text{ kJ}}{0.5 \text{ mole}} = 1562 \text{ kJ/mol}.$$

Thus, the molar heat of combustion of ethane is 1562 kJ/mol.

Question: 10

If a mathematical term is given as 501.00, how many significant digits are there according to the scientific measurement procedure?

- A. Three
- B. Four
- C. Five
- D. Six

Answer: C

Explanation:

In the representation of the number 501.00, identifying the count of significant digits involves understanding the rules related to zeros in the context of significant figures.

Significant figures are digits in a number that contribute to its precision. This includes all non-zero numbers, zeros between non-zero digits, and zeros that are explicitly placed after the decimal point to indicate precision.

In the number 501.00, the digits '5', '0', and '1' are obviously significant because they are non-zero numbers and contribute directly to the value of the number. The real point of interest lies in the treatment of the two zeros following the decimal point.

These zeros are considered significant because they are used to indicate the precision of the measurement and show that the measurement was accurate to the hundredths place. Therefore, they are not merely placeholders but intentional and meaningful, confirming the precision of the number. So, in the number 501.00, all the digits including the two zeros after the decimal point are significant. Hence, the number 501.00 has five significant digits: '5', '0', '1', '0', and '0'. Each digit plays a role in conveying the accuracy of the value, making them all significant in scientific measurement.



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ