



CERTSWARRIOR

# Dell EMC

## D-VPX-OE-A-24

### Dell Technologies VPLEX Operate

[Questions&AnswersPDF](#)

**ForMoreInformation:**

<https://www.certs warrior.com/>

## Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

# Latest Version: 6.0

## Question: 1

A storage administrator executes the attach-mirror command to add a mirror to a VPLEX local RAID 0. What is the RAID type of the device after the command is executed?

Response:

- A. RAID C
- B. RAID 0
- C. RAID 5
- D. RAID 1

**Answer: D**

## Question: 2

A distributed device is being created from existing devices in Unisphere. What is an important consideration when selecting Do not Synchronize Data - Advanced Users Only?

Response:

- A. It will take longer to finish creating the distributed device
- B. Whether or not the source volume contains data that needs to be preserved
- C. Data has to be synchronized manually with a VPLEXcli command
- D. Select only if source volume contains a virtual device attached to a host

**Answer: B**

## Question: 3

A VPLEX perpetual performance monitor is running on Director 1-1-

A. The data being monitored is growing at a rate of 2 MB per minute. At the current data rate, how far back in time is the monitor able to reach?

Response:

- A. 5 minutes
- B. 50 minutes
- C. 5 hours
- D. 50 hours

**Answer: B**

## Question: 4

In a VPLEX environment, what is a result of a global cache miss?

Response:

- A. A host read could be serviced from the local director cache.
- B. A director must write data to a back-end storage volume from local cache.
- C. A host read could be serviced from the VPLEX global cache.
- D. A director must read data from a back-end storage volume to local cache.

**Answer: D**

## Question: 5

With a VPLEX Metro utilizing FC WAN COM, how many ports on each director are used by default for inter-cluster communication?

Response:

- A. 1
- B. 2
- C. 4
- D. 8

**Answer: B**

## Question: 6

A company uses a VPLEX Metro configuration across two data centers. One night, the WAN COM between the two sites fails. What allows an incremental re-synchronization with the remote device once the link is restored?

Response:

- A. Consistency groups
- B. Logging volumes
- C. Virtual volumes
- D. Metadata volumes

**Answer: B**

## Question: 7

Where is VPLEX Cluster Witness installed?

Response:

- A. Primary cluster only
- B. Third domain
- C. Secondary cluster only
- D. Primary or secondary cluster

**Answer: B**

### Question: 8

In VPLEX, what are some of the main criteria for selecting an active/active architecture versus an active/passive architecture?

Response:

- A. RPO/RTO, distance, and bandwidth between sites
- B. Application performance, storage tiering, and bandwidth between sites
- C. Application performance, distance, and bandwidth between sites
- D. RPO/RTO, storage tiering, and bandwidth between sites

**Answer: A**

### Question: 9

What is the purpose of the "distributed-storage/" sub-context in the VPLEX CLI?

Response:

- A. Create and manage links between clusters, devices, and extents
- B. Create, verify, start, pause, cancel, and resume data migrations
- C. Create and manage distributed devices and rule sets
- D. Configure connectivity between back-end storage arrays and front-end hosts

**Answer: C**

### Question: 10

What is a prerequisite for a company that is interested in setting up VPLEX MetroPoint?

Response:

- A. VPLEX running 5.4 SP1 or above

- B. RPA running 4.0 SP1 or above
- C. ESXi 5.1 or above with a VM
- D. VPLEX Geo

**Answer: A**



CERTSWARRIOR

*FULL PRODUCT INCLUDES:*

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**