



CERTSWARRIOR

Linux Foundation OTCA

OpenTelemetry Certified Associate

Questions&AnswersPDF

ForMoreInformation:

<https://www.certswarrior.com/>

Features:

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

Latest Version: 6.0

Question: 1

Which parameters can be set using environment variables to configure an OpenTelemetry SDK?
(Choose two)

Response:

- A. Service name
- B. Sampling rate
- C. Exporter endpoint
- D. Collector scaling

Answer: A,C

Question: 2

What is a common use case for extending OpenTelemetry APIs?

Response:

- A. Adding encryption to telemetry data
- B. Defining custom attributes for traces
- C. Managing collector instances
- D. Scaling the pipeline for high availability

Answer: B

Question: 3

Which of the following are true about context propagation in OpenTelemetry?

(Choose two)

Response:

- A. It helps link spans across distributed services.
- B. It secures telemetry data during transmission.
- C. It uses W3C Trace Context headers.
- D. It processes spans in the collector pipeline.

Answer: A,C

Question: 4

What is the purpose of the resource attribute in OpenTelemetry SDK configuration?

Response:

- A. To define service-level metadata
- B. To specify the sampling strategy
- C. To allocate memory for telemetry data
- D. To configure collector endpoints

Answer: A

Question: 5

Which component in the OpenTelemetry Collector is responsible for modifying telemetry data before exporting it?

Response:

- A. Exporter
- B. Processor
- C. Receiver
- D. Loader

Answer: B

Question: 6

Which semantic convention attributes are associated with HTTP telemetry?

(Choose two)

Response:

- A. http.method
- B. http.client_ip
- C. http.payload
- D. http.server_path

Answer: A,B

Question: 7

How can OpenTelemetry Collector ensure reliable error handling in telemetry pipelines?

Response:

- A. Enable automatic retries for failed exports.
- B. Configure batch processors to discard failed data.
- C. Redirect errors to a dead-letter queue.
- D. Halt the pipeline when any error occurs.

Answer: C

Question: 8

Why is schema management critical in observability pipelines?

Response:

- A. It minimizes data transmission costs.
- B. It ensures compatibility between telemetry producers and consumers.
- C. It eliminates the need for exporters.
- D. It simplifies the use of multiple processors.

Answer: B

Question: 9

What are the key benefits of using telemetry data in observability systems?

(Choose two)

Response:

- A. Faster detection of system anomalies
- B. Improved system security through encryption
- C. Detailed insights into application performance
- D. Automatic recovery from application crashes

Answer: A,C

Question: 10

What is the purpose of the W3C Trace Context standard in OpenTelemetry?

Response:

- A. To enable distributed tracing across different vendors
- B. To define collector pipeline structure

- C. To secure telemetry data in transit
- D. To monitor collector health

Answer: A



CERTSWARRIOR

FULL PRODUCT INCLUDES:

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

<https://www.certswarrior.com>

16 USD Discount Coupon Code: U89DY2AQ