



CERTSWARRIOR

# Genesys GEOP-CR

**Engage on-premises Composer Routing Certification**

**Questions&AnswersPDF**

**ForMoreInformation:**

**<https://www.certswarrior.com/>**

## **Features:**

- 90DaysFreeUpdates
- 30DaysMoneyBackGuarantee
- InstantDownloadOncePurchased
- 24/7OnlineChat Support
- ItsLatestVersion

**Visit us at: <https://www.certswarrior.com/exam/geop-cr>**

# Latest Version: 6.0

## Question: 1

What two configurations are required before testing a Composer routing application?  
(Choose two)

Response:

- A. Setting Tomcat preferences
- B. Defining UCS interaction logs
- C. Configuring the routing point in Configuration Server
- D. Setting the WebDAV server for testing

**Answer: A,C**

## Question: 2

Which Composer function is commonly used to retrieve a list of agent groups from the configuration database?

Response:

- A. GetGroupData()
- B. GetAgentList()
- C. GetList()
- D. RetrieveData()

**Answer: C**

## Question: 3

What is the purpose of an Entry Block in a Composer routing application?

Response:

- A. To route interactions to virtual queues
- B. To mark the starting point of a workflow
- C. To attach interaction metadata for reporting
- D. To terminate a session

**Answer: B**

### Question: 4

What two steps are required to use the Assign Block effectively in a workflow?

(Choose two)

Response:

- A. Defining variables in the workflow
- B. Setting values dynamically during workflow execution
- C. Assigning default values to system variables
- D. Configuring interaction data paths

**Answer: A,B**

### Question: 5

What two elements are critical for generating accurate reports in Composer workflows?

(Choose two)

Response:

- A. Capturing interaction metadata during processing
- B. Logging agent availability in the routing workflow
- C. Storing interaction data in UCS or an external database
- D. Encrypting interaction logs before storage

**Answer: A,C**

### Question: 6

Which block in Composer is commonly used to create inbound voice routing applications?

Response:

- A. Target Block
- B. User Data Block
- C. Entry Block
- D. Assign Block

**Answer: C**

### Question: 7

How is custom ECMAScript typically used in Composer workflows?

Response:

- A. To create advanced routing logic
- B. To deploy workflows to a Configuration Server
- C. To configure multimedia queues
- D. To validate database connections

**Answer: A**

### Question: 8

Which two log message types are critical for diagnosing target selection issues?

(Choose two)

Response:

- A. URS logs: "Target Selection"
- B. ORS logs: "InteractionTimeout"
- C. Event logs: "RouteCallError"
- D. DBServer logs: "QueryExecutionError"

**Answer: A,C**

### Question: 9

Which attribute is used to set the routing priority of an interaction?

Response:

- A. system.ANI
- B. interaction.Priority
- C. session.RoutingTarget
- D. system.DNIS

**Answer: B**

### Question: 10

What is the purpose of the Target Block in a Composer workflow?

Response:

- A. To define the starting point of a workflow
- B. To specify routing targets for interactions

- C. To store interaction data for reporting
- D. To encrypt metadata during routing

**Answer: B**



CERTSWARRIOR

*FULL PRODUCT INCLUDES:*

Money Back Guarantee



Instant Download after Purchase



90 Days Free Updates



PDF Format Digital Download



24/7 Live Chat Support



Latest Syllabus Updates



For More Information – Visit link below:

**<https://www.certswarrior.com>**

**16 USD Discount Coupon Code: U89DY2AQ**